

# Innovation at your fingertips





Cyclonic Operation



Powerful Motor



Low Noise

Experience innovation and convenience with the Hills range of centrally ducted vacuums. Offering advanced and powerful vacuuming technology at your fingertips, Hills have now made it easier to have cleaner and more hygienic home.



## Cleaner Air

House dust mites live in our homes. The average square metre of carpet is home to 10,000 dust mites (approx). The most effective way to remove dust is by using a vacuum cleaner. Both the Hills CentralVac and CrystalForce vacuums transport dust and particles to the main unit by a series of pipes that are installed behind the walls or under the floor of your home.



## **Features**

- Cyclonic operation
- LCD display (CF model only)
- Powerful 240VAC 1600W Motor
- High efficiency particle air filter
- · Garage motor utility valve included
- Low maintenance

- · Optional floor sweep inlet for high traffic area's (kitchen area)
- Sturdy ABS construction
- Thermal motor protection
- Low noise









### **Features**

- Cyclonic operation
  - Aesthetic design
- Powerful 240VAC 1600W motor
- High Efficiency Particle Air (HEPA) Filtration
- 16 litre dust collection bucket with integral carry handles
  - 3400mm H20 Suction / Waterlift
    - Sturdy ABS construction
      - Low noise 69 dB
  - Thermal & c/breaker motor overload protection
    - · Garage utility valve included
  - Dual 50mm Inlets for left and right handed pipe
    - · Peripheral bypass exhaust
      - 210 Cu/mH Airflow
    - Internal & external muffler supplied standard
      - 800 Hours min operation
        - 100% Duty cycle



#### **Features**

- Cyclonic operation
- · Aesthetic design
- Powerful 240VAC 1600W twin turbine fan cooled motor
- High Efficiency Particle Air (HEPA) Filtration
- 3460 mm H2O Suction / Waterlift
- Sturdy ABS construction
- Thermal & c/breaker motor overload protection
- · Garage utility valve included
- · Outside exhaust to eliminate dust recirculation
- Dual 50mm Inlets for left and right handed pipe installation
- Standard Garage utility inlet valve
- Peripheral bypass exhaust
- 608 Air Watts
- Internal & external muffler supplied standard
- 800 Hours min operation
- 100% Duty cycle

#### PLUS

- + LCD maintenance display
- + Variable speed suction control
- + 25 litre dust collection bucket with integral carry handles
- + Low Noise 67 dB

















#### Distributed by:



Hills Holdings