

Detailed description of Sequent Gas Injection



- Electronic Control Unit ----- page 1
- Reducer, Injectors page 2
- Filter, LPG level Sensor, MAXI KIT composition,
 Other LPG Accessories page 3

Electronic Control Unit

Electronic Control Unit



- 3,4,5,6,8-cyl. ECU Available

KIT:

- Dedicated to engines naturally aspirated as well as turbo charged
- Waterproof Aluminium Case
- LPG/CNG solutions inside

Other components of ECU

Absolute Map-sensor



Switch



Horn signal



Waterproof Harness (with BOSCH Plugs available optionally)



LPG Temperature sensor



Sub-pressure T-fitting



Fuse + waterproof case



Water Temperature sensor



Connectors



Reducer, Injectors



Reducer

VR140KW:

- Dedicated to Engines up to 140 KW
- Easy to fit
- Free Position of fitting
- Flexible water L-fitting
- Flexible Solenoid integrated
- 6mm LPG inlet



Reducer GURTNER GT290KW:

- Dedicated to Engines up to 290 KW
- Good performance in Turbo-charged engines



LPG Injectors RAIL:

- Modern design
- Good performance
- High Durability
- CNG/LPG solutions
- Improved Temperature exchange
- Stability on flow rate

Other

composition - upon request



We offer full assortment of LPG components. Detailed catalogs could be given upon request. Wholesale terms of cooperation are given individually and are the subject of negotiation.