


PRINTERS & MFPs


PRINTERS & MFPs



SAVINGS



RELIABILITY



ENVIRONMENT

THINGS TO CONSIDER WHEN BUYING



Cost

The ongoing running costs of printers and MFPs is often overlooked when making purchase decisions. The impact of doing this could result in your running costs adding up to two or three times the original purchase price. Companies both large and small can make significant savings with Kyocera.

Reliability

Kyocera introduced the cartridge-free imaging concept in 1992. The result is printers and copiers which create less waste, have a lower comparable cost per print and less downtime, making them up to 50 per cent less expensive to operate than comparative models and much more reliable.

Support

Kyocera's support program has been developed around our customers and reaches far beyond service calls. Pro-active maintenance, fleet rationalisation strategies and recycling programs, together with our award-winning reliability, provide one of the most effective support networks in the market.

Environmental impact

The importance of having respect for, and conserving our environment has been etched in Kyocera's ethos from inception. Our worldwide green policies encourage conservation and recycling, along with the development of products and technologies that can actually minimise the impact on the environment.

How to choose

Making the choice between printers, copiers and Multifunction Devices (MFDs) can be difficult but there are a few questions that you can ask yourself to help make the process easier.

- 1 - Do I need to print in colour?
- 2 - Do I copy documents as well as print?
- 3 - How many people will share the product?
- 4 - How many pages would I print a month?
- 5 - What are the running costs?
- 6 - Should I integrate and rationalise my copiers and printers?

Kyocera can assist you with determining what's the best option for your organisation, with a fully integrated product range and online total running cost calculator located at www.KyoceraDocumentSolutions.com.au/tco

KYOCERA LEADS THE WAY



Conventional cartridge



Kyocera ECOSYS toner kit



ECOSYS Technology

Conventional printers use an imaging cartridge that integrates a photoreceptor drum, developer and toner into a single, disposable unit. When the toner is depleted, the entire cartridge is disposed of and replaced with a new unit. In contrast, ECOSYS® printers feature a durable imaging system based on Kyocera's patented amorphous silicon print drum, a combination of ceramic and metal. With a surface that is second only to diamond in hardness, Kyocera's durable print drum is guaranteed up to 500,000 pages on some series models. That's because tiny ceramic particles embedded in Kyocera's toner continually polish and recondition the drum during normal printing, virtually eliminating the need for replacement of the drum and other cartridge components (a task which is typically performed many times over the life of a conventional printer).

The result is printers and copiers which create less waste and have a lower comparable cost per print and less downtime, making them up to 50 per cent less expensive to operate than comparative models and much more reliable.

Save with Kyocera

Did you realise that the cost of running your laser printer over its lifetime is likely to exceed the original purchase price by several times?

Unfortunately, the ongoing running costs of printers, copiers and MFDs is often overlooked when making purchase decisions. The impact of doing this could result in your running costs adding up to two or three times the original purchase price. Businesses both large and small can make significant savings.

With our ECOSYS printer technology – which produces more and uses less – Kyocera has one of the lowest Total Cost of Ownership (TCO) in the market today.

So, just how much could you save? See for yourself with our online TCO calculator. It allows you to compare the true cost of owning and operating a Kyocera ECOSYS laser printer against competitor models online.

The calculator will provide you with a comparative breakdown of all major running costs associated with your printer and give a comprehensive report that demonstrates just how Kyocera's innovative ECOSYS technology can save you money.

To use our online TCO calculator, please visit www.KyoceraDocumentSolutions.com.au/tco

COLOUR PRINTERS



Personal and Workgroup Colour Printers

Welcome to the world of Kyocera colour. Our range of colour printers are ideally suited to business, delivering affordable, high quality colour printing.

	ECOSYS FS-C5150DN	ECOSYS FS-C5250DN	ECOSYS FS-C5350DN
Description:	A4 Brilliant Colour Printing - solution for small workgroups or individuals with small to medium volume	A4 Brilliant Colour Printing - solution for workgroups needing medium volume. High quality printing at a low cost per page	A4 Brilliant Colour Printing - solution for large workgroups needing high volume. High quality printing at a low cost per page
Output Speed:	Up to 21 ppm (A4) Mono/Colour	Up to 26 ppm (A4) Mono/Colour	Up to 30 ppm (A4) Mono/Colour
Processor:	PowerPC 464 / 667MHz	PowerPC 464 / 667MHz	PowerPC 750 / 600MHz
Resolution:	600 x 600 dpi (multi bit)	600 x 600 dpi (multi bit)	600 x 600 dpi (multi bit)
Memory:	256MB upgradeable to 1,280MB	256MB upgradeable to 1,280MB	256MB upgradeable to 1,280MB
Emulations:	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing
Duplex:	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)
Time to First Print:	10.5 seconds or less	9 seconds or less	8.5 seconds or less
Paper Handling:	250 sheet cassette + 50 sheet MPT input A4, B5, A5, Letter, Legal, custom paper sizes	500 sheet cassette + 50 sheet MPT input A4, B5, A5, Letter, Legal, custom paper sizes	500 sheet cassette + 150 sheet MPT input A4, B5, A5, Letter, Legal, custom paper sizes
Standard Interface:	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet)	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet)	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet)
Drum Life:	100,000 pages	200,000 pages	200,000 pages
Warranty:	2 years on site	2 years on site	2 years on site
Options:	500 sheet paper feeder (Max 2), Extra Memory, Compact Flash Card	500 sheet paper feeder (max 3), Extra Memory, CompactFlash Card, 40GB HDD	500 sheet paper feeder (max 3), Extra Memory, Compact FlashCard, Caster Kit (CA-500), 40GB HDD
Dimensions & Weight:	370(H) x 390(W) x 523(D)mm & 29kg	397(H) x 390(W) x 523(D)mm & 30kg	480(H) x 345(W) x 518(D)mm & 30kg

COLOUR PRINTERS



ECOSYS FS-C5400DN

ECOSYS FS-C8650DN



Personal and Workgroup Colour Printers

Welcome to the world of Kyocera colour. Our range of colour printers are ideally suited to business, delivering affordable, high quality colour printing.

Description:	A4 Brilliant Colour Printing - solution for large workgroups or in-house printing. High quality printing at a low cost per page	A4/A3 Brilliant Colour Printing - solution for departments needing high volume printing. Excellent Quality at a very low cost per page
Output Speed:	Up to 35 ppm (A4) Mono/Colour	Colour: Up to 50ppm (A4) / 25ppm (A3) Mono: Up to 55ppm (A4) / 27ppm (A3)
Processor:	PowerPC 750 / 733MHz	PowerPC 750GL / 750MHz
Resolution:	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi bit)
Memory:	256MB upgradeable to 1,280MB	1,024MB (upgradeable to 2,048MB) + 160GB HDD (standard)
Emulations:	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing	PRESCRIBE PCL6 (5e, XL), PCL6 (PCL5c/PCLXL), KPD L3 (PostScript3 compatible), support Auto Emulation Switching, XPS, IBM Proprinter / EPSON LQ-850 / LinePrinter / Diablo 630 (option)
Duplex:	Automatic (Built-in)	Automatic (Built-in)
Time to First Print:	9 seconds or less	4.9 seconds (mono) / 6.2 seconds (colour)
Paper Handling:	500 sheet cassette + 150 sheet MPT input A4, B5, A5, Letter, Legal, custom paper sizes	2 x 500 sheet cassette + 100 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes
Standard Interface:	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet)	Hi-Speed USB 2.0, 10/100BaseTX (Ethernet)
Drum Life:	300,000 pages	600,000 pages
Warranty:	2 years on site	2 years on site
Options:	500 sheet paper feeder (Max 4), Extra Memory, Compact Flash Card, Caster Kit (CA-500), 40GB HDD	1,000 or 3,000 Sheet Paper Feeders, 1,000 or 4,000 Sheet Finishers, Booklet Folder, 7-Bin Mailbox, Hole Punch Unit, Data Security Kit E, Extra Memory, Compact Flash, Cabinet
Dimensions & Weight:	512(H) x 345(W) x 518(D)mm & 35kg	672(H) x 787(W) x 744(D)mm & 111kg

MONOCHROME LASER PRINTERS



Personal and Workgroup Monochrome Printers

Kyocera's range of ECOSYS printers caters for individuals and workgroups. Our 5th Generation Plus printers offer you the most ecologically and technically efficient printers on the market today and when combined with the power of Kyocera's unique ECOSYS print system, these printers are sure to deliver.

	ECOSYS FS-1120D	ECOSYS FS-1320D	ECOSYS FS-1370DN	ECOSYS FS-2020D
Description:	A4 Personal Printer - for Professional desktop printing	A4 Personal Printer - for Professional desktop printing	A4 Workgroup Printer - perfect for small teams	A4 Workgroup Printer - perfect for small to midsized workgroups
Output Speed:	Up to 30 ppm (A4)	Up to 35 ppm (A4)	Up to 35 ppm (A4)	Up to 35 ppm (A4)
Processor:	PowerPC 405F5/360 MHz	PowerPC 405F5/360 MHz	PowerPC 440F5 / 500MHz	PowerPC 440 / 533MHz
Resolution:	Fine 1200	Fine 1200	Fine 1200	Fine1200
Memory:	32MB upgradeable to 544MB	32MB upgradeable to 544MB	128MB upgradeable to 1,152MB	128MB upgradeable to 1,152MB
Emulations:	PCL6/PCL5e incl. PJI, KPDL 3 (PostScript 3 compatible) with automatic emulation sensing (AES), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630	PCL6/PCL5e incl. PJI, KPDL 3 (PostScript 3 compatible) with automatic emulation sensing (AES), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630	PCL6/PCL5e incl. PJI, KPDL 3 (PostScript 3 compatible) with automatic emulation sensing (AES), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PDF Direct Print, XPS	PCL6, PCL5c, PostScript* 3 (KPDL 3), with automatic emulation sensing, XPS (Windows Vista), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PDF 1.5
Duplex:	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)
Time to First Print:	6 seconds or less	7 seconds or less	7 seconds or less	9 seconds or less
Paper Handling:	250-sheet universal paper cassette + 50-sheet MPT, 60-120 g/m2, A4, A5, A6, B5, Letter, Legal, Custom	250-sheet universal paper cassette + 50-sheet MPT, 60-120 g/m2, A4, A5, A6, B5, Letter, Legal, Custom	250-sheet cassette + 50-sheet MPT,A4, A5, A6, B5, Letter, Legal, Custom	500 sheet cassette + 100 sheet MPT input A4, B5, A5, Letter, Legal, custom paper sizes
Standard Interface:	USB 2.0, KUIO -LV interface slot	USB 2.0, KUIO -LV interface slot	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet)	Hi-Speed USB 2.0, Hi-Speed Parallel
Drum Life:	100,000 pages	100,000 pages	100,000 pages	300,000 pages
Warranty:	2 years Return to Base	2 years Return to Base	1 year on site	1 year on site
Options:	Network Interface, Extra 250-sheet universal paper cassette, Extra Memory	Network Interface, Extra 250-sheet universal paper cassette (Max 2), Extra Memory	250 Sheet Paper Feeder (Max 2), Compact Flash, Extra Memory	Network card, 500 sheet Paper Feeder (Max 1), 40GB HDD, Compact Flash, Extra Memory
Dimensions & Weight:	250(H) x 375(W) x 393(D)mm & 12kg	250(H) x 375(W) x 393(D)mm & 12kg	267(H) x 375(W) x 393(D)mm & 12kg	285(H) x 382(W) x 394(D)mm & 16.2kg

MONOCHROME LASER PRINTERS



Workgroup and Departmental Monochrome Printers

Kyocera's range of ECOSYS printers caters for individuals and workgroups. Our 5th Generation Plus printers offer you the most ecologically and technically efficient printers on the market today and when combined with the power of Kyocera's unique ECOSYS print system, these printers are sure to deliver.

	ECOSYS FS-3920DN	ECOSYS FS-4020DN	ECOSYS FS-6970DN	ECOSYS FS-9530DN
Description:	A4 Workgroup Printer - high speed network ready printer for mid to large workgroups	A4 Workgroup Printer - high speed network ready printer for large workgroups or departments	A4 & A3 Workgroup Printer - great for small to mid-sized work groups who require A3 printing	A4 & A3 Departmental Printer - high speed high volume departmental printer. Offers advanced paper finishing options
Output Speed:	Up to 40 ppm (A4)	Up to 45 ppm (A4)	Up to 35 ppm (A4) / 17ppm (A3)	Up to 51 ppm (A4) / 26 ppm (A3)
Processor:	PowerPC 440 / 600MHz	PowerPC 440 / 667MHz	PowerPC 440 / 600MHz	PowerPC 750FL / 600MHz
Resolution:	Fine1200	Fine1200	Fine1200	Fast 1200 (1800 x 600)
Memory:	128MB upgradeable to 1,152MB	128MB upgradeable to 1,152MB	128MB upgradeable to 1,152MB	128MB upgradeable to 640MB
Emulations:	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing, XPS (Windows Vista), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PDF 1.5	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing, XPS (Windows Vista), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PDF 1.5	PCL6, PCL5c, PostScript* 3 (KPD L 3), with automatic emulation sensing, XPS (Windows Vista), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PDF 1.5	PCL6/PCL5e incl. P.J.L, PostScript 3TM (KPD L 3), PDF direct print, automatic emulation sensing (AES), HP-7550A (KC-GL), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630
Duplex:	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)
Time to First Print:	10.5 seconds or less	9 seconds or less	9 seconds or less	3.5 seconds or less
Paper Handling:	500 sheet cassette + 100 sheet MPT A4, B5, A5, Letter, Legal, custom paper sizes	500 sheet cassette + 100 sheet MPT A4, B5, A5, Letter, Legal, custom paper sizes	250 sheet cassette + 100 sheet MPT input A4, B5, A5, Letter, Legal, custom paper sizes	2 x 500 sheet cassette + 200 sheet MPT A4, B5, A5, A3, Letter, custom paper sizes
Standard Interface:	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet), Hi-Speed Parallel	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet), Hi-Speed Parallel	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet), Hi-Speed Parallel	Hi-Speed USB 2.0, 10/100Base-TX (Ethernet), Hi-Speed Parallel
Drum Life:	300,000 pages	300,000 pages	300,000 pages	500,000 pages
Warranty:	2 years on site	2 years on site	2 years on site	2 years on site
Options:	500 or 2000 Sheet Paper Feeder, Envelope feeder, Output tray, 40GB HDD, Compact Flash	500 or 2000 Sheet Paper Feeder, Envelope feeder, Output tray, 40GB HDD, Compact Flash	250 Sheet Paper Cassette, Face Up Output Tray, 40GB HDD, Compact Flash	2nd Network Card, Serial card, 3,000 or 2 x 500 sheet trays, 2/4 Hole punch unit, Booklet folder, Hard Disk, Data Security Kit
Dimensions & Weight:	320(H) x 382(W) x 394(D)mm & 16.7kg	320(H) x 382(W) x 394(D)mm & 16.8kg	285(H) x 469(W) x 395(D)mm & 19.5kg	615(H) x 599(W) x 646(D)mm & 68kg

A4 COLOUR MFPs



ECOSYS FS-C2626MFP

ECOSYS FS-C2526MFP



A4 Colour Multifunction Printers

MFPs combine the functionality of laser printing with the replication features of a copier. Kyocera's range caters for small/medium workgroups to larger, high volume departments.

Description:	A4 Colour MFP - Print/Copy/Scan/Fax with in-built duplex and network	A4 Colour MFP - Print/Copy/Scan with in-built duplex and network
Output Speed:	Print: Up to 26 ppm (A4) Copy: Up to 26 cpm (A4) Scan: Up to 35 ipm (A4)	Print: Up to 26 ppm (A4) Copy: Up to 26 cpm (A4) Scan: Up to 35 ipm (A4)
Processor:	PowerPC 464 / 800MHz	PowerPC 464 / 800MHz
Control Panel:	4.3 inch colour touchscreen display	4.3 inch colour touchscreen display
Solutions Integration:	HyPAS solutions platform (embedded)	HyPAS solutions platform (embedded)
Resolution:	600 x 600 dpi (multi bit)	600 x 600 dpi (multi bit)
Memory:	1024MB upgradeable to 2048MB	1024MB upgradeable to 2048MB
Emulations:	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), PRESCRIBE, PDF Direct Print, XPS	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), PRESCRIBE, PDF Direct Print, XPS
Duplex:	Automatic (Built-in)	Automatic (Built-in)
Time to First Copy/Print:	10.5 seconds / 9 seconds	10.5 seconds / 9 seconds
Paper Handling:	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes
Standard Interface:	Hi-Speed USB 2.0, 10/100/1000BaseTX (Ethernet)	Hi-Speed USB 2.0, 10/100/1000BaseTX (Ethernet)
Prevent. Maintenance Yield:	200,000 pages	200,000 pages
Warranty:	2 years on site	2 years on site
Options:	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, USB Keyboard, Compact Flash	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, USB Keyboard, Compact Flash
Dimensions & Weight:	603(H) x 514(W) x 550(D)mm & 38.7kg	603(H) x 514(W) x 550(D)mm & 38.7kg

A4 COLOUR MFPs



ECOSYS FS-C2126MFP+

ECOSYS FS-C2026MFP+



A4 Colour Multifunction Printers

MFPs combine the functionality of laser printing with the replication features of a copier. Kyocera's range caters for small/medium workgroups to larger, high volume departments.

Description:	A4 Colour MFP - Print/Copy/Scan/Fax with in-built duplex and network	A4 Colour MFP - Print/Copy/Scan with in-built duplex and network
Output Speed:	Print: Up to 26 ppm (A4) Copy: Up to 26 cpm (A4) Scan: Up to 35 ipm (A4)	Print: Up to 26 ppm (A4) Copy: Up to 26 cpm (A4) Scan: Up to 35 ipm (A4)
Processor:	PowerPC 464 / 667MHz	PowerPC 464 / 667MHz
Resolution:	600 x 600 dpi (multi bit)	600 x 600 dpi (multi bit)
Memory:	768MB upgradeable to 1,792MB	768MB upgradeable to 1,792MB
Emulations:	PCL6 (PCL5e, PCL-XL), PCL6 (PCL5c, PCL-XL), KPDL 3, PDF Direct Printing Ver 1.5 (supported by KPDL3), XPS, Novell Print	PCL6 (PCL5e, PCL-XL), PCL6 (PCL5c, PCL-XL), KPDL 3, PDF Direct Printing Ver 1.5 (supported by KPDL3), XPS, Novell Print
Duplex:	Automatic (Built-in)	Automatic (Built-in)
Time to First Copy/Print:	10.5 seconds / 9 seconds	10.5 seconds / 9 seconds
Paper Handling:	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes
Standard Interface:	Hi-Speed USB 2.0, 10/100BaseTX (Ethernet)	Hi-Speed USB 2.0, 10/100BaseTX (Ethernet)
Prevent. Maintenance Yield:	200,000 pages	200,000 pages
Warranty:	2 years on site	2 years on site
Options:	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, USB Keyboard, Compact Flash	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, USB Keyboard, Compact Flash
Dimensions & Weight:	580(H) x 514(W) x 550(D)mm & 36.5kg	580(H) x 514(W) x 550(D)mm & 36.5kg

A4 MONOCHROME MFPs



A4 Monochrome Multifunction Printers

MFPs combine the functionality of laser printing with the replication features of a copier. Kyocera's range caters for small/medium workgroups to larger, high volume departments.

	ECOSYS FS-3640MFP	ECOSYS FS-3540MFP	ECOSYS FS-3140MFP+	ECOSYS FS-3040MFP+
Description:	A4 Mono MFP - Print/Copy/Scan/Fax with in-built duplex and network	A4 Mono MFP - Print/Copy/Scan with in-built duplex and network	A4 Mono MFP - Print/Copy/Scan/Fax with in-built duplex and network	A4 Mono MFP - Print/Copy/Scan with in-built duplex and network
Output Speed:	Print: Up to 40 ppm (A4) Copy: Up to 40 cpm (A4) Scan: Up to 35 ipm (A4)	Print: Up to 40 ppm (A4) Copy: Up to 40 cpm (A4) Scan: Up to 35 ipm (A4)	Print: Up to 40 ppm (A4) Copy: Up to 40 cpm (A4) Scan: Up to 35 ipm (A4)	Print: Up to 40 ppm (A4) Copy: Up to 40 cpm (A4) Scan: Up to 35 ipm (A4)
Processor:	PowerPC 464 / 800MHz	PowerPC 464 / 800MHz	PowerPC 440 / 667MHz	PowerPC 440 / 667MHz
Control Panel:	4.3 inch colour touchscreen display	4.3 inch colour touchscreen display	Five line LCD display panel	Five line LCD display panel
Solution Integration:	HYPAS solutions platform (embedded)	HYPAS solutions platform (embedded)	Available (non-embedded)	Available (non-embedded)
Resolution:	Up to 1,200 x 1,200dpi	Up to 1,200 x 1,200dpi	Up to 1,200 x 1,200dpi	Up to 1,200 x 1,200dpi
Memory:	1024MB upgradeable to 2048MB	1024MB upgradeable to 2048MB	256MB upgradeable to 768MB	256MB upgradeable to 768MB
Emulations:	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), Line Printer, PRESCRIBE, PDF Direct Print, XPS	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), Line Printer, PRESCRIBE, PDF Direct Print, XPS	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PRESCRIBE, PDF Direct Print, XPS	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PRESCRIBE, PDF Direct Print, XPS
Duplex:	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)
Time to First Copy/Print:	7 seconds / 11.5 seconds	7 seconds / 11.5 seconds	7 seconds / 9.5 seconds	7 seconds / 9.5 seconds
Paper Handling:	500 sheet cassette + 100 sheet MPT input A4, A5, B5, A6, Letter, Legal, custom paper sizes	500 sheet cassette + 100 sheet MPT input A4, A5, B5, A6, Letter, Legal, custom paper sizes	500 sheet cassette + 100 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes	500 sheet cassette + 100 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes
Standard Interface:	Hi-Speed USB 2.0, 10/100/1000BaseTX (Ethernet)	Hi-Speed USB 2.0, 10/100/1000BaseTX (Ethernet)	Hi-Speed USB 2.0, 10/100BaseTX (Ethernet)	Hi-Speed USB 2.0, 10/100BaseTX (Ethernet)
Prevent. Maintenance Yield:	300,000 pages	300,000 pages	300,000 pages	300,000 pages
Warranty:	2 years on site	2 years on site	2 years on site	2 years on site
Options:	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, Compact Flash	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, Compact Flash	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, Compact Flash	500 sheet paper feeder (Max 2), Extra Memory, Card Authentication Kit and Reader, Compact Flash
Dimensions & Weight:	566(H) x 494(W) x 497(D)mm & 26kg	566(H) x 494(W) x 497(D)mm & 26kg	545.5(H) x 494(W) x 497.1(D)mm & 25.8kg	545.5(H) x 494(W) x 497.1(D)mm & 25.5kg

A4 MONOCHROME MFPs



A4 Monochrome Multifunction Printers

MFPs combine the functionality of laser printing with the replication features of a copier. Kyocera's range caters for small/medium workgroups to larger, high volume departments.

	ECOSYS FS-1135MFP	ECOSYS FS-1035MFP	ECOSYS FS-1130MFP	ECOSYS FS-1030MFP
Description:	A4 Mono MFP - Print/Copy/Scan/Fax with in-built duplex and network	A4 Mono MFP - Print/Copy/Scan with in-built duplex and network	A4 Mono MFP - Print/Copy/Scan/Fax with in-built duplex and network	A4 Mono MFP - Print/Copy/Scan with in-built duplex and network
Output Speed:	Print: Up to 35 ppm (A4) Copy: Up to 35 cpm (A4) Scan: Up to 35 ipm (A4)	Print: 35 ppm (A4) Copy: 35 ppm (A4) Scan: 35 ppm (A4)	Print: 30 ppm (A4) Copy: 30 ppm (A4) Scan: 35 ppm (A4)	Print: 30 ppm (A4) Copy: 30 ppm (A4) Scan: 35 ppm (A4)
Processor:	PowerPC 440 / 667MHz	PowerPC 440 / 667MHz	PowerPC 440 / 667MHz	PowerPC 440 / 667MHz
Resolution:	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi
Memory:	256MB upgradeable to 768MB	256MB upgradeable to 768MB	256MB upgradeable to 768MB	256MB upgradeable to 768MB
Emulations:	PCL6 (5c/XL), KPD L 3 (PostScript 3-compatible), Line Printer, IBM Proprietary X24E, Epson LQ-850, Diablo 630, PDF Direct Print, XPS Direct Print (requires memory expansion)	PCL6 (5c/XL), KPD L 3 (PostScript 3-compatible), Line Printer, IBM Proprietary X24E, Epson LQ-850, Diablo 630, PDF Direct Print, XPS Direct Print (requires memory expansion)	PCL6 (5c/XL), KPD L 3 (PostScript 3-compatible), Line Printer, IBM Proprietary X24E, Epson LQ-850, Diablo 630, PDF Direct Print, XPS Direct Print (requires memory expansion)	PCL6 (5c/XL), KPD L 3 (PostScript 3-compatible), Line Printer, IBM Proprietary X24E, Epson LQ-850, Diablo 630, PDF Direct Print, XPS Direct Print (requires memory expansion)
Duplex:	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)	Automatic (Built-in)
Time to First Copy/Print:	7 seconds or less	7 seconds or less	7 seconds or less	7 seconds or less
Paper Handling:	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes	250 sheet cassette + 50 sheet MPT input A4, A5, B5, Letter, Legal, custom paper sizes
Standard Interface:	USB 2.0 (Hi-Speed), USB Host, Fast Ethernet 10/100Base-TX, slot for optional CompactFlash® Card	USB 2.0 (Hi-Speed), USB Host, Fast Ethernet 10/100Base-TX, slot for optional CompactFlash® Card	USB 2.0 (Hi-Speed), USB Host, Fast Ethernet 10/100Base-TX, slot for optional CompactFlash® card	USB 2.0 (Hi-Speed), USB Host, Fast Ethernet 10/100Base-TX, slot for optional CompactFlash® card
Prevent. Maintenance Yield:	100,000 pages	100,000 pages	100,000 pages	100,000 pages
Warranty:	2 years on site	2 years on site	2 years on site	2 years on site
Options:	250 sheet paper feeder (Max 2), Extra Memory	250 sheet paper feeder (Max 2), Extra Memory	250 sheet paper feeder (Max 2), Extra Memory	250 sheet paper feeder (Max 2), Extra Memory
Dimensions & Weight:	494(W) x 430(D) x 448(H)mm & 18kg	494(W) x 430(D) x 448(H)mm & 18kg	494(W) x 430(D) x 448(H)mm & 18kg	494(W) x 430(D) x 448(H)mm & 18kg

A3 COLOUR MFPs



ECOSYS FS-C8520MFP

ECOSYS FS-C8525MFP



A3 Colour Multifunction Printers

These new A4/A3 multifunction colour devices offer all the benefits of a professional document management solution for workgroups and small offices. Featuring advanced functionality, easy to operate touchscreen, and a range of paper-handling options, all in a well-designed compact package. Cost-efficient and eco-friendly offices will appreciate KYOCERA's unique ECOSYS technology which increases operating life, reduces environmental impact, cuts printing costs and ensures reliability.

Description:	A3 Colour MFP - Print/Copy/Scan with in-built duplex and network (fax optional)	A3 Colour MFP - Print/Copy/Scan with in-built duplex and network (fax optional)
Output Speed:	Print: Up to 20 ppm (A4) mono & colour Copy: Up to 20 cpm (A4) mono & colour Scan: Up to 40 ipm (A4) mono, up to 20 ipm (A4) colour	Print: Up to 25 ppm (A4) mono & colour Copy: Up to 25 cpm (A4) mono & colour Scan: Up to 40 ipm (A4) mono, up to 20 ipm (A4) colour
Processor:	PowerPC 464 / 800MHz	PowerPC 464 / 800MHz
Control Panel:	4.3 inch colour touch screen display	4.3 inch colour touch screen display
Solution Integration:	HyPAS solutions platform (embedded)	HyPAS solutions platform (embedded)
Resolution:	600 x 600 dpi (multi bit)	600 x 600 dpi (multi bit)
Memory:	1536MB upgradeable to 2048MB	1536MB upgradeable to 2048MB
Emulations:	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), PRESCRIBE, PDF Direct Print, XPS Direct Print	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), PRESCRIBE, PDF Direct Print, XPS Direct Print
Duplex:	Automatic (Built-in)	Automatic (Built-in)
Time to First Copy/Print:	11 seconds / 14 seconds (mono/colour)	10 seconds / 12 seconds (mono/colour)
Paper Handling:	500 sheet cassette + 100 sheet MPT input A3, A4, A5, A6, B5, Letter, Legal, custom paper sizes (upgradeable to 1600 sheets)	500 sheet cassette + 100 sheet MPT input A3, A4, A5, A6, B5, Letter, Legal, custom paper sizes (upgradeable to 1600 sheets)
Standard Interface:	Fast Ethernet 10/100/1000BaseTX, Hi-Speed USB 2.0	Fast Ethernet 10/100/1000BaseTX, Hi-Speed USB 2.0
Prevent. Maintenance Yield:	200,000 pages	200,000 pages
Warranty:	3 years on site (up to 150,000 pages)	3 years on site (up to 180,000 pages)
Options:	Fax, 500 sheet paper feeder (Max 2), Document Finisher, Memory Upgrade, Card Authentication Kit and Reader, USB Keyboard, Additional Network Card, Compact Flash, Cabinet	Fax, 500 sheet paper feeder (Max 2), Document Finisher, Memory Upgrade, Card Authentication Kit and Reader, USB Keyboard, Additional Network Card, Compact Flash, Cabinet
Dimensions & Weight:	748(H) x 590(W) x 590(D)mm & 80kg	748(H) x 590(W) x 590(D)mm & 80kg

A3 MONOCHROME MFPs



ECOSYS FS-6525MFP

ECOSYS FS-6530MFP



A3 Monochrome Multifunction Printers




These new multifunction devices offer all the benefits of a professional document management solution for workgroups and small offices. Featuring advanced functionality, easy to operate touchscreen, and a range of paper-handling options, all in a well-designed compact package. Cost-efficient and eco-friendly offices will appreciate KYOCERA's unique ECOSYS technology which increases operating life, reduces environmental impact, cuts printing costs and ensures reliability.

Description:	A3 Mono MFP - Print/Copy/Scan with in-built duplex and network (fax optional)	A3 Mono MFP - Print/Copy/Scan with in-built duplex and network (fax optional)
Output Speed:	Print: Up to 25 ppm (A4) Copy: Up to 25 cpm (A4) Scan: Up to 40 ipm (A4) mono, up to 20 ipm (A4) colour	Print: Up to 30 ppm (A4) Copy: Up to 30 cpm (A4) Scan: Up to 40 ipm (A4) mono, up to 20 ipm (A4) colour
Processor:	PowerPC 464 / 800MHz	PowerPC 464 / 800MHz
Control Panel:	4.3 inch colour touch screen display	4.3 inch colour touch screen display
Solution Integration:	HyPAS solutions platform (embedded)	HyPAS solutions platform (embedded)
Resolution:	600 x 600 dpi (multi bit)	600 x 600 dpi (multi bit)
Memory:	512MB upgradeable to 1536MB	512MB upgradeable to 1536MB
Emulations:	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), PRESCRIBE, PDF Direct Print, XPS Direct Print	PCL6 (5e/XL), KPD L 3 (PostScript 3 compatible), PRESCRIBE, PDF Direct Print, XPS Direct Print
Duplex:	Automatic (Built-in)	Automatic (Built-in)
Time to First Copy/Print:	9.2 seconds / 7.8 seconds	9.2 seconds / 7.8 seconds
Paper Handling:	500 sheet cassette + 100 sheet MPT input A3, A4, A5, A6, B5, Letter, Legal, custom paper sizes (upgradeable to 1600 sheets)	500 sheet cassette + 100 sheet MPT input A3, A4, A5, A6, B5, Letter, Legal, custom paper sizes (upgradeable to 1600 sheets)
Standard Interface:	Fast Ethernet 10/100/1000BaseTX, Hi-Speed USB 2.0	Fast Ethernet 10/100/1000BaseTX, Hi-Speed USB 2.0
Prevent. Maintenance Yield:	300,000 pages	300,000 pages
Warranty:	3 years on site (up to 150,000 pages)	3 years on site (up to 180,000 pages)
Options:	Fax, 500 sheet paper feeder (Max 2), Document Finisher, Memory Upgrade, Card Authentication Kit and Reader, USB Keyboard, Additional Network Card, Compact Flash, Cabinet	Fax, 500 sheet paper feeder (Max 2), Document Finisher, Memory Upgrade, Card Authentication Kit and Reader, USB Keyboard, Additional Network Card, Compact Flash, Cabinet
Dimensions & Weight:	694(H) x 590(W) x 590(D)mm & 52.2kg	694(H) x 590(W) x 590(D)mm & 52.2kg

HyPAS™

MULTIFUNCTION DEVICES & BUSINESS APPLICATIONS

MULTIFUNCTION DEVICES
& BUSINESS APPLICATIONS



THINGS TO CONSIDER WHEN BUYING



Document Creation & Output

Printing the business documents you create and use everyday is essential for effective communication, both inside and outside your business. Kyocera's Solutions for document creation and output improve workplace productivity and efficiency. Kyocera's native page description language, PRESCRIBE®, offers your business a flexible, on-demand printing solution for forms, letterheads and similar corporate documents. PRESCRIBE eliminates both cost and storage space associated with pre-printed forms. Enhance your Windows® desktop through Kyocera's KX Driver and PDF Direct Print for fast printing and full access to device features. Another robust output feature is Kyocera's USB Host Interface. At the control panel, users can print-from, and scan to, a USB drive inserted into the device. This ensures both confidentiality and efficient output time after time.

Security & Compliance

Securing your business assets and maintaining confidentiality of data is a growing strategic initiative for many companies. Kyocera's solutions addressing security and compliance are incredibly flexible to fit the needs of your diverse network and your company's printing, copying or scanning requirements.

Kyocera provides a range of optional security solutions: Our Data Security Kit ensures

your business critical information is never compromised; device printing features such as Secure Print and Virtual Mailbox require passwords to enable output directly at the device, and the KX Driver allows you to add a Security Watermark to your documents to deter unauthorized copying. For businesses and organisations instituting IPv6 (Internet Protocol version 6) to their infrastructure, an IPv6-compliant network interface for Kyocera Printers and MFDs ensures compliance and security standards can be met.

Document Management

For businesses requiring 'on-demand' access of documents at the MFD, Kyocera's Document Box is a critical feature that allows users to scan-to, and print from, the hard drive of your MFD. Kyocera's Document Management Solutions are scalable and flexible for your business, delivering a solution that fits your company's requirements today, and an upgrade path for your growing requirements tomorrow.

Network & Device Management

Kyocera's suite of Network and Device Management Solutions provides your IT infrastructure with the essential tools it needs to manage and maintain your output devices, keeping your operation running efficiently. This comprehensive set of value-added utilities and software include the PC-based KYOCERA Net Viewer and web-based KYOCERA Net Admin for device management, cost control and department accounting.

ONLY FROM KYOCERA



Since 1959, Kyocera has successfully developed innovative technologies that have helped set industry standards for engineering and quality. In the field of document imaging, Kyocera is a well-known and respected provider of leading-edge multifunction products and laser printers, as well as software and network solutions to organisations of all sizes and specialisations.

Our award-winning technology incorporates long life imaging components that can dramatically lower your total cost while providing the high productivity and exceptional image quality that your business demands. Kyocera continually strives to raise the bar for excellence in both products and service.

Designed with people in mind, the Kyocera **TASKalfa Series** defines colour and monochrome multifunction devices (MFD) in a whole new way, delivering the **power, performance, quality** and **ultra-reliability** that your growing business demands. So whether you print, scan, copy or fax – in colour or monochrome – this series will become an essential partner to your business.

Engineered for the critical demands of any business, each TASKalfa Colour MFD features a **sleek design** on the outside, but more importantly, **advanced imaging technology** on the inside. The powerful combination of fast output speeds, Kyocera's unique long life technology, solution integration capabilities, and consistent high-image quality engineered into each TASKalfa MFD assures **superior document imaging** every time. **That's TASKalfa's number one priority.**

TASKalfa COLOUR MFDs



TASKalfa 



Colour Multifunction Devices

The TASKalfa line of colour and monochrome MFDs are the pinnacle of document imaging because each business-critical task is delivered with unsurpassed performance, superior image quality and ease of use. The ultra-reliable technology designed and engineered into every Kyocera TASKalfa MFD enables users to get their tasks done right, the first time, and every time.

TASKalfa - the cornerstone of unprecedented document imaging efficiency for any organisation.

	TASKalfa 2550ci	TASKalfa 3050ci	TASKalfa 3550ci
Description:	Low-mid volume Colour & Mono digital copier / network printer/ network scanner	Low-mid volume Colour & Mono digital copier / network printer / network scanner	Low-mid volume Colour & Mono digital copier / network printer / network scanner
Output Speed:	Print & Copy Colour: 25ppm (A4) / 13ppm (A3) Mono: 25ppm (A4) / 13ppm (A3) Scan: up to 48ipm (RADF)	Print & Copy Colour: 30ppm (A4) / 15ppm (A3) Mono: 30ppm (A4) / 15ppm (A3) Scan: up to 65ipm (RADF) up to 100ipm (Dual Scan)	Print & Copy Colour: 35ppm (A4) / 17ppm (A3) Mono: 35ppm (A4) / 17ppm (A3) Scan: up to 65ipm (RADF) up to 100ipm (Dual Scan)
Processor:	PowerPC 750CL/600 MHz	PowerPC 750CL / 600MHz	PowerPC 750CL / 600MHz
Resolution:	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)
Memory:	2 GB RAM + 160 GB HDD (standard)	2GB + 160GB or more HDD (standard)	2GB + 160GB or more HDD (standard)
Emulations:	PRESCRIBE, PCL6 (PCL5c / PCL-XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request
Duplex:	Standard	Standard	Standard
Time to First Copy:	7.9 seconds (Mono) 9.9 seconds (Colour)	6.2 seconds (Mono) 8.1 seconds (Colour)	5.8 seconds (Mono) 7.4 seconds (Colour)
Paper Handling:	2 x 500 sheet universal cassette + 100 sheet MPT (Maximum: 2,100)	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,150)	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,150)
Standard Interface:	Network: 1000BaseT/100BaseTX/10BaseT USB: 2.0 Hi-Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed
Prevent. Maintenance Yield:	200,000 pages	300,000 pages	300,000 pages
Options:	Fax system (W), Internet Fax Kit (A), PF-790 Paper feeder, DT-730 Document tray, DF-470 Document finisher + AK-470, CompactFlash® card, Fax memory, Data security kit (E), Card Reader Holder (B), Additional network card, Metal cabinet	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), 1,000 or 4,000 Sheet Finishers, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Cabinet, EFI Fiery Controller	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), 1,000 or 4,000 Sheet Finishers, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Cabinet, EFI Fiery Controller
Dimensions & Weight:	594(w) x 699(d) x 862(h)mm 95.5kg	747(H) x 668(W) x 767(D)mm & 114kg	747(H) x 668(W) x 767(D)mm & 114kg

TASKalfa COLOUR MFDs



Colour Multifunction Devices

The TASKalfa line of colour and monochrome MFDs are the pinnacle of document imaging because each business-critical task is delivered with unsurpassed performance, superior image quality and ease of use. The ultra-reliable technology designed and engineered into every Kyocera TASKalfa MFD enables users to get their tasks done right, the first time, and every time.

TASKalfa - the cornerstone of unprecedented document imaging efficiency for any organisation.

TASKalfa 4550ci

TASKalfa 5550ci

Description:	Mid volume Colour & Mono digital copier / network printer / network scanner	Mid-High volume Colour & Mono digital copier / network printer / network scanner
Output Speed:	Print & Copy Colour: 45ppm (A4) / 22ppm (A3) Mono: 45ppm (A4) / 22ppm (A3) Scan: up to 75ipm (RADF) up to 140ipm (Dual Scan)	Print & Copy Colour: 50ppm (A4) / 25ppm (A3) Mono: 55ppm (A4) / 27ppm (A3) Scan: up to 75ipm (RADF) up to 140ipm (Dual Scan)
Processor:	PowerPC 750GL / 750MHz	PowerPC 750GL / 750MHz
Resolution:	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)
Memory:	2GB + 160GB x 2 (standard)	2GB + 160GB x 2 (standard)
Emulations:	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request.
Duplex:	Standard	Standard
Time to First Copy:	4.7 seconds (Mono) 6.0 seconds (Colour)	4.4 seconds (Mono) 5.7 seconds (Colour)
Paper Handling:	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,650)	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,650)
Standard Interface:	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed
Prevent. Maintenance Yield:	300,000 pages	300,000 pages
Options:	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), 1,000 or 4,000 Sheet Finishers, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Cabinet, EFI Fiery Controller	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Cabinet, EFI Fiery Controller
Dimensions & Weight:	747(H) x 668(W) x 767(D)mm & 114kg	747(H) x 668(W) x 767(D) & 114kg

TASKalfa COLOUR MFDs



Colour Multifunction Devices

The Kyocera TASKalfa MFD series redefines colour multifunction systems with a bold and innovative design that delivers the power, performance, quality and ultra-reliability that your business demands. Combined with Kyocera's unique long life technology, the exceptional product functionality and consistent colour image quality engineered into this series assures superior document handling every time.

TASKalfa 6550ci

TASKalfa 7550ci

Description:	High volume Colour & Mono digital copier / network printer / network scanner	High volume Colour & Mono digital copier / network printer / network scanner
Output Speed:	Print & Copy Colour: 65ppm (A4) / 32ppm (A3) Mono: 65ppm (A4) / 32ppm (A3) Scan: up to 200ipm (Dual Scan)	Print & Copy Colour: 75ppm (A4) / 35ppm (A3) Mono: 75ppm (A4) / 37ppm (A3) Scan: up to 200ipm (Dual Scan)
Processor:	PowerPC 750GL / 916MHz	PowerPC 750GL / 916MHz
Resolution:	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)
Memory:	2GB + 160GB x 2 (standard)	2GB + 160GB x 2 (standard)
Emulations:	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request.	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request.
Duplex:	Standard	Standard
Time to First Copy:	5.4 seconds (Mono) 6.2 seconds (Colour)	4.8 seconds (Mono) 5.9 seconds (Colour)
Paper Handling:	2 x 500 sheet universal cassette + 2 x 1,500 sheet universal cassette + 150 sheet MPT (Maximum: 7,650)	2 x 500 sheet universal cassette + 2 x 1,500 sheet universal cassette + 150 sheet MPT (Maximum: 7,650)
Standard Interface:	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed
Prevent. Maintenance Yield:	300,000 pages	300,000 pages
Options:	1,000 or 3,000 Sheet Paper Feeders (side deck) + PF-780 (additional 500 sheets), 4,000 Sheet Finisher, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, EFI Fiery Controller	1,000 or 3,000 Sheet Paper Feeders (side deck) + PF-780 (additional 500 sheets), 4,000 Sheet Finisher, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, EFI Fiery Controller
Dimensions & Weight:	1347(H) x 1039(W) x 801(D)mm & 183kg	1347(H) x 1039(W) x 801(D)mm & 183kg

TASKalfa MONOCHROME MFDs



Monochrome Multifunction Devices

The TASKalfa Monochrome Series delivers a winning solution for all your critical document imaging requirements. It's ultra-reliability at its best!

TASKalfa 180

TASKalfa 300i

Description:	A4/A3 MFD - low volume digital copier/local printer	Low-mid volume Mono digital copier / network printer / network scanner
Output Speed:	Print: Up to 18 ppm (A4)/8 ppm (A3) Copy: Up to 18 cpm (A4)/8 cpm (A3)	Print & Copy Up to 30ppm (A4) / 15ppm (A3) Scan: up to 50ipm
Processor:	ARM946-S / 150MHz	PowerPC 750Cxr / 600MHz
Resolution:	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Memory:	32MB upgradeable to 160MB or more	2GB + 160GB or more HDD (standard)
Emulations:	GDI	PRESCRIBE, PCL6 (5c, XL), KPD.L3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request
Duplex:	Optional - DU-420	Standard
Time to First Copy:	5.7 seconds 17.2 seconds warm up time	5.1 seconds, 29 seconds warm up time from power on
Paper Handling:	Standard 300 sheet paper draw + 100 sheet MPT, expandable to 4x 300 sheet paper draws	2 x 500 sheet universal cassettes + 200 sheet MPT (Maximum: 2,200 sheets)
Standard Interface:	USB 2.0	Network: 100Base-TX/10Base-T USB: 2.0 High Speed
Prevent. Maintenance Yield:	150,000 pages	300,000 pages
Options:	GDI USB Print System, Network Interface, Reverse Automatic Document Feeder, 3 Additional Paper Draws, Duplex Unit, Cabinet	Automatic Document Feeder, Fax System, 1,000 Sheet Paper Feeder, Data Security, 500 / 1,000 Sheet Internal & External Finisher With 3 Position Stapling, Cabinet
Dimensions & Weight:	502(H) x 568(W) x 546(D)mm & 33kg	767.2(H) x 570(W) x 620(D)mm & 75kg

TASKalfa MONOCHROME MFDs



TASKalfa 3500i TASKalfa 4500i TASKalfa 5500i




Monochrome Multifunction Devices

The TASKalfa monochrome Series is extremely productive, offering fast scanning and finishing speeds, matched to high-capacity finishing options and high-volume paper feeders, designed to suit your specific requirements. Save time and reduce paper waste by printing on both sides with the standard duplex unit, or by scanning your documents and sending them as digital files. Choose from a number of paper feeders to suit different papers and formats, for fast continuous printing and high volume operations.

	TASKalfa 3500i	TASKalfa 4500i	TASKalfa 5500i
Description:	Low-mid volume Mono digital copier / network printer / network scanner	Mid volume Mono digital copier / network printer / network scanner	Mid-High volume Mono digital copier / network printer / network scanner
Output Speed:	Print & Copy Up to 35ppm (A4) / 17ppm (A3) Scan: up to 75ipm (RADF) up to 160ipm (Dual Scan)	Print & Copy Up to 45ppm (A4) / 22ppm (A3) Scan: up to 75ipm (RADF) up to 160ipm (Dual Scan)	Print & Copy Up to 55ppm (A4) / 27ppm (A3) Scan: up to 75ipm (RADF) up to 160ipm (Dual Scan)
Processor:	PowerPC 750CL / 600MHz	PowerPC 750CL / 600MHz	PowerPC 750CL / 600MHz
Resolution:	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)
Memory:	1GB + 160GB or more HDD (standard)	1GB + 160GB or more HDD (standard)	1GB + 160GB or more HDD (standard)
Emulations:	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request
Duplex:	Standard	Standard	Standard
Time to First Copy:	5.6 seconds, 23 seconds warm up time from power on	4.7 seconds, 23 seconds warm up time from power on	4.3 seconds, 23 seconds warm up time from power on
Paper Handling:	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,150)	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,150)	2 x 500 sheet universal cassette + 150 sheet MPT (Maximum: 7,150)
Standard Interface:	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed
Prevent. Maintenance Yield:	600,000 pages	600,000 pages	600,000 pages
Options:	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), 1,000 or 4,000 Sheet Finishers, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Memory upgrade, Cabinet	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), 1,000 or 4,000 Sheet Finishers, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Memory upgrade, Cabinet	Reverse Automatic Document Feeder, Dual Scan Document Feeder, 1,000 or 3,000 Sheet Paper Feeders (inc. side deck), 1,000 or 4,000 Sheet Finishers, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax, Memory upgrade, Cabinet
Dimensions & Weight:	747(H) x 668(W) x 767(D) & 82kg	747(H) x 668(W) x 767(D) & 82kg	747(H) x 668(W) x 767(D) & 82kg

TASKalfa MONOCHROME MFDs



Monochrome Multifunction Devices

Kyocera TASKalfa MFDs are consistently recognised for their long life consumables and components, as well as unsurpassed maintenance intervals. Your business is a top priority and you demand uncompromising dependability across your entire enterprise.

TASKalfa 6500i

TASKalfa 8000i

Description:	High volume Mono digital copier / network printer / network scanner	High volume Mono digital copier / network printer / network scanner
Output Speed:	Print & Copy Up to 65ppm (A4) / 32ppm (A3) Scan: up to 160ipm (Dual Scan)	Print & Copy Up to 80ppm (A4) / 40ppm (A3) Scan: up to 160ipm (Dual Scan)
Processor:	PowerPC 750CL / 800MHz	PowerPC 750CL / 800MHz
Resolution:	600 x 600 dpi (multi-bit)	600 x 600 dpi (multi-bit)
Memory:	2GB + 160GB x 2 (standard)	2GB + 160GB x 2 (standard)
Emulations:	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print, and other emulations upon request
Duplex:	Standard	Standard
Time to First Copy:	5.2 seconds, 45 seconds warm up time from power on	4.7 seconds, 45 seconds warm up time from power on
Paper Handling:	2 x 500 sheet universal cassette + 2 x 1,500 sheet cassette + 150 sheet MPT (Maximum: 7,650)	2 x 500 sheet universal cassette + 2 x 1,500 sheet cassette + 150 sheet MPT (Maximum: 7,650)
Standard Interface:	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed	Network: 1000Base-T/100Base-TX/10Base-T USB: 2.0 High Speed
Prevent. Maintenance Yield:	300,000 pages	300,000 pages
Options:	1,000 or 3,000 Sheet Paper Feeders (side deck) + PF-780 (additional 500 sheets), 4,000 Sheet Finisher, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax	1,000 or 3,000 Sheet Paper Feeders (side deck) + PF-780 (additional 500 sheets), 4,000 Sheet Finisher, Fax System, Booklet & Tri-folding, Hole Punching, 7 Bin Mailbox, Data Security, Internet Fax
Dimensions & Weight:	1347(H) x 1039(W) x 723(D)mm & 155kg	1347(H) x 1039(W) x 723(D)mm & 155kg

WIDE FORMAT PRINTERS



TASKalfa 2420w

TASKalfa 4820W



Wide Format Printers

If the size of your printing needs has grown beyond the mere dimensions of the documents you copy, Kyocera's wide format printers allow you to produce the widest range of high quality results, consistently, on a variety of paper sizes up to A0.

	TASKalfa 2420w	TASKalfa 4820W
Description:	A0 Wide Format Printers - low volume digital copier/network printer/network scan	A0 Wide Format Printers - Mid volume digital copier/network printer/network scan
Output Speed:	2.8 (A1), 1.6 (A0) pages per minute 2.4 metres per minute	5.7 (A1), 3.4 (A0) pages per minute 4.8 metres per minute
Processor:	Celeron 2.0 GHz	Celeron 2.0 GHz
Resolution:	600 x 600dpi (print/copy)	600 x 600dpi (print/copy)
Emulations:	Standard 1GB and HDD 160GB	Standard 1GB and HDD 160GB
Time to First Copy/Print:	GL (HP-GL, HP-GL/2, HP-RTL compatible) Calcomp 906/907 TIFF 6.0 (G3, G4, Packbit, non-compressed) CAL5 G4, JPEG, VCGL, Grayscale TIF, Color TIF, Intergraph CIT/G4, PNG EDMICS C4, PCX, DWF, TLC Option: PDF/PS3	GL (HP-GL, HP-GL/2, HP-RTL compatible) Calcomp 906/907 TIFF 6.0 (G3, G4, Packbit, non-compressed) CAL5 G4, JPEG, VCGL, Grayscale TIF, Color TIF, Intergraph CIT/G4, PNG EDMICS C4, PCX, DWF, TLC Option: PDF/PS3
Paper Handling:	Copy: Approx. 48 seconds (A1) or less, Approx. 70 seconds (A0) or less Print: Approx. 41 seconds (A1) or less, Approx. 57 seconds (A0) or less	Copy: Approx. 32 seconds (A1) or less, Approx. 44 seconds (A0) or less Print: Approx. 22 seconds (A1) or less, Approx. 29 seconds (A0) or less
Standard Interface:	1 roll feeder + 1 manual sheet bypass: optional paper tray, 150 m/roll, paper roll width 297 ~ 914 mm, bypass paper size: max. 914 x 1219 mm, min. 210 x 297mm, paper tray size: max. 420 x 594 mm, 210 x 297 mm, 64-80 g/m ²	2 roll feeder + 1 manual sheet bypass: optional paper tray, 150 m/roll, paper roll width 297 ~ 914 mm, bypass paper size: max. 914 x 1219 mm, min. 210 x 297mm, paper tray size: max. 420 x 594 mm, 210 x 297 mm, 64-80 g/m ²
Prevent. Maintenance Yield:	10Base-T/100Base-TX/1000Base-T, USB Host 2.0	10Base-T/100Base-TX/1000Base-T, USB Host 2.0
Warranty:	6000 metres	24000 metres
Options:	Paper Tray Kit1 multi paper feed cassette (50 sheets/A4-A2) Colour Copy License 1 (Colour copy to inkjet function) PS/PDF Print License 1	Original & Print Receiving Tray Original: Up to 20 sheets / Print: Up to 10 sheets Note: Only copy tray wide 2 or print receiving tray can be installed at the same time Paper Tray Kit2 multi-paper feed cassette (50 sheets/A4-A2) , Copy Tray Wide 2 Copy Tray Colour Print & Copy License 2 (Colour print & copy to inkjet function) PS/PDF Print License 2
Dimensions & Weight:	Main unit: 1,245 x 833 x 1,174mm Approx. 177kg	Main unit: 1,346 x 407 x 1,105mm Approx. 244kg

AWARDS AND RECOGNITION

KYOCERA'S ACHIEVEMENTS

Kyocera's advanced range of exceptional products, software and network solutions make life simpler and business more productive. We are proud that noted industry analysts, technology publications – even end users – have recognised and awarded our products.

Our accolades include:



BLI - Highly Recommended and Pick Awards

2012, 2011, 2010, 2009, 2008 and 2007

For over 45 years, Buyers Laboratory Inc. (BLI) has been a source of unbiased and reliable intelligence for the imaging industry. Although originally based in the US, in 2005, BLI launched its international division with offices in Hong Kong and London. BLI also provides certification testing, rating products on their ability to meet various benchmarks for reliability and performance. www.buyerslab.com



Better Buys for Business Editor's Choice

2010, 2009, 2008 and 2007

Better Buys for Business is a leading independent authority on document imaging equipment (copiers, printers, faxes, and scanners). To assure its independence, Better Buys for Business accepts no advertising - revenues are derived solely from the sales of its reports. www.betterbuys.com



AWARDS AND RECOGNITION



BERTL Office line of the Year 2012, BERTL Outstanding 2010, BERTL's Best 2009 and BERTL Exceptional 2009

For over 15 years BERTL® Inc. has been the primary source for objective, independent product evaluation reports and comparative analyses on digital imaging devices and workflow solutions. BERTL's evaluation reports, customer satisfaction research, awards and product ratings are undertaken entirely at BERTL's expense for the benefit of its worldwide subscriber base.



Office Products Analysts #1 Reliability MFDs 2009

Voted number 1 for reliability (MFDs) by leading research agency Office Products Analysts (OPA). www.industryanalysts.com



ARN IT Industry Awards

Finalist Specialist Vendor of the Year 2011
Highly Commended ARN Personal Innovation Award - Sales Excellence 2011
Highly Commended Green Vendor 2010
ARN 'Green Vendor of the Year 2007'



ARN, a key IT industry publication since 1991, held their inaugural industry awards in 2007. An independent panel of industry experts selected Kyocera as Green Vendor of the Year, a tribute to our thought leadership and green credentials. Recognised as a Finalist and Highly Comended in the 2011 ARN IT Industry Awards.





SALES, SERVICE AND TECHNICAL SUPPORT ENQUIRIES

Kyocera Document Solutions Australia
Ph: 13 KYOCERA
www.KyoceraDocumentSolutions.com.au

Kyocera Document Solutions New Zealand
Ph: 0508 KYOCERA
www.KyoceraDocumentSolutions.co.nz

KYOCERA Document Solutions Australia Pty. Ltd. ABN 77 003 852 444

