



PIONEER
WATER TANKS



Discover the difference

Discover the difference

Since 1988, Pioneer Water Tanks has supplied Australia with water tanks for domestic, farming, fire fighting and industrial applications.

Designed for Australia's harsh and demanding conditions, Pioneer Water Tanks are made from strong and durable 100% Australian made Zincalume® and Colorbond® steel.

Pioneer Water Tanks come in the full range of Colorbond® colours with sizes ranging from 6,000L to 370,000L. Custom tanks can be manufactured to up to 2.6 million litres and all can include a provision for fire protection reserves.

Our exclusive distributor network facilitates sales, service and installation in even the most remote Australian locations with minimal site preparation. We can offer a full range of accessories and fittings to ensure your tank meets your needs and performs to the highest possible standard.



*To protect your valuable water assets
and access it where and when you need it,
insist on Pioneer Water Tanks.*



INVEST IN AN AUSTRALIAN MADE, PIONEER WATER TANK.

Whilst many of our competitors strive to match our innovative technology, design and manufacturing standards, nothing comes close to a Pioneer Water Tank.

8-80 V-LOCK

Pioneer Water Tanks' modern and unique 8-80 V-LOCK wall profile provides the strength of corrugated steel and maintains perfect support to the liner moulded to the inside of the tank wall.

The 8-80 V-LOCK design maximises the strength of your tank to ensure it stays in shape when full or empty whilst minimising liner stress.

You've made the right choice.



150mm Diameter Overflow

Our 150mm diameter overflow connection and down piping is the largest in the market.

Designed to meet the Plumbing Industry Board's requirements for an overflow greater than the infill rate of water means you avoid costly problems associated with a tank overflow.

Pioneer Water Tanks' one-piece PVC wall connection prevents water coming into contact with any steel around the overflow penetration. The need to use any chemical based sealant is also eliminated to protect your potable water supply against possible contamination.

You've made the right choice.

A woman with long, wavy brown hair and blue eyes, wearing a blue denim shirt, is smiling and holding a clear glass of water. She is in a kitchen setting with white cabinets and a window in the background. To her right, there is a large orange pot with a silver lid on a stove. The overall scene is bright and clean, suggesting a healthy and safe environment.

AQUALINER[®] SAFE

OUR AUSTRALIAN MADE AQUALINER[®] IS CUSTOM ENGINEERED FOR THE SOLE PURPOSE OF SAFE AND SECURE WATER STORAGE.

Its BPA-free multi-layered material with internal reinforced fabric weave meets global safety and food standards, ensuring the ultimate peace of mind for the secure storage of safe, clean, fresh and chemical-free water.

You've made the right choice.

AQUALINER® SAFE Double Seam Weld

PIONEER WATER TANKS' AQUALINER® IS DOUBLE SEAM WELDED FOR AUSTRALIA'S TOUGH CONDITIONS

Our innovative double seam welded AQUALINER® provides the ultimate protection at liner joints, preventing leaks, drips, seepage or wicking of your precious water. Water seepage from your liner can encourage white ants or invasive roots, so insist on a double seam welded liner.



You've made the right choice.



Swivel Foot Roof Connector

The exclusive heavy duty Pioneer Water Tank roof connects to the body of the tank through a unique swivel foot roof connector and high-tensile bolts.

Offering safe and reliable load resistance and tie-down of the roof means you don't have to worry about the performance of your tank roof in even the most extreme conditions.

You've made the right choice.

FULLY CONCEALED BOLTS

Fully concealed structural bolts provide you with a smooth and tamper-free panel joint. These unique vertical seams reinforce the strength of the tank and increase the integrity of your water tank.

With hundreds of tonnes of water to contain, Pioneer's engineer-certified bolt strips provide the ultimate strong and safe panel joint.

You've made the right choice.

A man in a checkered shirt and jeans is walking through a field of large, cylindrical metal water tanks. The scene is set at sunset, with the sun low on the horizon, casting a warm, golden glow over the landscape. In the background, there are several cows grazing in a field. The overall atmosphere is peaceful and rural.

National Network, Local Service

Our passion for producing quality water tanks is also shared by the many family businesses that comprise our extensive national distributor network. With over 50 distributors across the country you can be assured of expert local advice and support throughout your water tank installation and continued service life.



We've made the right choice.

Tony & Jill, Hovea Western Australia. GT50 Paperbark®

RURAL AND FIRE PROTECTION TANK



Tested by the Australian Government Bushfire Cooperative Research Centre, Pioneer Water Tanks are designed to maintain their structural integrity and retain water during and after exposure to a fire front.

**Combine your domestic and fire water in one cost effective, space efficient tank.
Be prepared this fire season with just one additional fire fitting.**



STANDARD INCLUSIONS

Your Pioneer Water Tank includes the following*

- One (1) 50mm outlet and valve
- One (1) 150mm overflow down pipe and flap valve
- Exclusive Australian made Aqualiner®
- One (1) removable ladder
- One (1) leaf filter basket OR 50mm inlet
- One (1) lockable access hatch
- One (1) set of sacrificial anodes for corrosion protection
- Delivery and installation on your prepared pad
- 20 year conditional warranty

*GT6 has a 50mm overflow and excludes anodes, access hatch and removable ladder.

OPTIONAL ACCESSORIES

Pioneer Water Tanks stock a full range of accessories and fittings to suit your requirements.




FASCIA STRIP

Pioneer Water Tanks' optional fascia strip offers protection from sharp edges and a clean, modern tank profile.



FITTINGS

Pioneer Water Tanks carry a full range of fittings to suit your requirements.



GEOTEXTILE UNDERLAY

Recommended when clean, fine sand is difficult to source and for added protection of the liner against damage from sharp objects such as stones or rocks.



HEAVY DUTY HINGED ACCESS HATCH

Offers extra strength and security when you need to securely lock and restrict access to your tank.



WATER LEVEL INDICATORS

A number of options are available including the traditional float and pulley and wireless systems.



DUST AND INSECT PROTECTION


Super seal protects your stored water from dust, insects and frogs.

* Standard Inclusion in all tanks in QLD



FIRE PROTECTION VALVES

Pioneer Water Tanks carry a full range of fittings to meet your local bush fire regulations.



BOTTOM SCOUR CLEANING OUTLET


This simple cleaning drain provides easy access to drain dirt or silt that settles at the bottom of your tank.

TANK SIZES

MODEL	GROSS CAPACITY		DIMENSIONS		TANK PAD PREPARATION			
	Note: Allowance must be made for air gap and pipework positioning to establish usable tank volume.		Diameter	Height	Pad Size (Width x Depth)	Min. Sand Required	Aggregate Required	Min. Water Fill Required After Build
	Litres	Gallons						
GT 6	6,864	1,510	2.00m	2.18m	4.00m x 150mm	2.5m ²	0.4m ²	500L
GT 10	12,200	2,600	2.67m	2.18m	4.67m x 150mm	3.0m ³	0.4m ³	600L
GT 20	19,100	4,200	3.34m	2.18m	5.34m x 150mm	4.0m ³	0.5m ³	950L
GT 30	27,542	6,053	4.01m	2.18m	6.01m x 150mm	5.0m ³	0.6m ³	1,300L
GT 40	37,573	8,258	4.68m	2.18m	6.68m x 150mm	6.0m ³	0.7m ³	1,750L
GT 50	48,963	10,761	5.35m	2.18m	7.35m x 150mm	7.0m ³	0.8m ³	2,300L
GT 60	62,111	13,615	6.02m	2.18m	8.02m x 150mm	8.5m ³	0.9m ³	2,900L
GT 80	76,504	16,814	6.69m	2.18m	8.69m x 150mm	10.0m ³	1.1m ³	3,550L
GT 90	92,570	20,345	7.35m	2.18m	9.35m x 150mm	11.0m ³	1.2m ³	4,350L
GT 110	110,116	24,212	8.02m	2.18m	10.02m x 150mm	13.0m ³	1.3m ³	5,050L
GT 130	129,292	28,416	8.69m	2.18m	10.69m x 150mm	14.5m ³	1.4m ³	6,000L
GT 150	149,948	32,956	9.36m	2.18m	11.36m x 200mm	16.0m ³	1.5m ³	7,000L
GT 170	172,529	37,919	10.03m	2.18m	12.03m x 200mm	24.5m ³	1.6m ³	7,900L
GT 200	195,851	43,044	10.70m	2.18m	12.70m x 200mm	27.0m ³	1.7m ³	9,000L
GT 220	221,604	48,704	11.36m	2.18m	13.36m x 200mm	30.0m ³	1.8m ³	10,200L
GT 250	247,478	54,478	12.03m	2.18m	14.03m x 200mm	33.0m ³	1.9m ³	11,400L
GT 280	277,000	60,839	12.70m	2.18m	14.71m x 200mm	36.0m ³	2.0m ³	12,900L
GT 290	290,632	63,876	10.70m	3.23m	12.70m x 200mm	27.0m ³	1.7m ³	9,000L
GT 330	328,096	72,109	11.36m	3.23m	13.36m x 200mm	30.0m ³	1.8m ³	11,400L
GT 370	367,831	80,784	12.03m	3.23m	14.03m x 200mm	33.0m ³	1.9m ³	12,900L

COLORBOND® COLOURS


Pioneer Water Tanks Standard Tank Colour Range



CLASSIC CREAM™




MANGROVE®



PAPERBARK®




SURFMIST®




WOODLAND GREY®

Zincalume®




ZINCALUME®


Pioneer Water Tanks Non-Standard Colour Range




BASALT®




COVE®




COTTAGE GREEN®




DEEP OCEAN®




DUNE®




EVENING HAZE®




GULLY®




IRONSTONE®




JASPER®




MANOR RED®




MONUMENT®




NIGHT SKY®




PALE EUCALYPT®




SHALE GREY™



TERRAIN®



WALLABY®



WINDSPRAY®

The information contained in this catalogue is provided for informational purposes only and to the fullest extent permitted by law, without any representation or warranty of accuracy or completeness of information or other warranty of any kind including any implied warranty of quality, merchantability, fitness for a particular purpose or non-infringement.

Additionally, Pioneer Water Tanks Pty Ltd ("Pioneer") ABN 65 604 579 651 makes no representation whatsoever, either expressed or implied, in respect of information of third parties that appear in this catalogue.

Pioneer Water Tanks® and Aqualiner® are registered trade marks of Pioneer Water Tanks Pty Ltd. Colorbond® and Zinalume® are registered trademarks of BlueScope Steel Limited. Pioneer is not a designer of water management systems or a consultant in relation to their use. Recipients of this catalogue should make their own enquiries about the contents of this catalogue and independently verify the applicability, fitness for a particular purpose or suitability or liability with regard to the reliance on or use of any of the information in this catalogue or any Pioneer product. Pioneer will not be responsible for the consequences of reliance on any technical advice given by Pioneer employees, appointed distributors or sub contractors in relation to any matter other than those matters specific to the design, manufacture and installation (where applicable) of the Pioneer range of products.

Pioneer will be entitled at any time and without notice to change, update, modify, replace, discontinue, improve and delete any information or product in this catalogue.

The COLORBOND® steel images shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones.

Discover the difference

Version 1 Nov 2015

Your Local Authorised Distributor:

23 Clayton Street, Bellevue, WA 6056
PO Box 1874 Midland, WA 6936

Toll Free 1800 999 599
Facsimile (08) 9274 4588

Email enquiries@pioneerwatertanks.com.au
pioneerwatertanks.com.au

 Join us on Facebook: facebook.com/pages/Pioneer-Water-Tanks/365908220188560

