



Laundry
Solutions Australia



CATALOGUE



Laundry Solutions Australia provides the most reliable and efficient IPSO laundry equipment, whose reputation for excellence within the industry is unquestioned. With their variety of washers and dryers, both Industrial and commercial, and their varied choices for industrial ironers, IPSO laundry equipment is ideally suited for any laundry application.

Big or small, Laundry Solutions Australia can provide you with a total solution to any laundry needs.

Ten Reasons to choose LSA:

1. Complete laundry design and installation service
2. Trouble free installation to AS4146-2000 standards
3. Certified suppliers of world-leading IPSO industrial and commercial washers and dryers
4. Creators of the water and power saving **EnviroSaver Ozone System** which is benefitting over 350 facilities Australia wide.
5. Cost benefit analysis; on-site laundry vs outsourcing
6. Family-owned business run for more than 33 years
7. Over 2500 happy clients and counting
8. One supplier to contact for all your laundry needs
9. Rapid service 7 days a week by factory trained service personnel
10. We provide comprehensive preventative maintenance services, saving expensive and disruptive service callouts



AFTER SALES SERVICES:

Our involvement doesn't end with the installation of your laundry equipment. We provide a variety of services, available to you long after your laundry is up and running; ensuring smooth operation for many years to come.

- On-site service available **365 days a year**
- Servicing and spare parts for whatever existing equipment you may already have (regardless of brand)
- **Maintenance agreements**, taking the worry out of maintaining your equipment
- Service available Australia-wide



MAINTENANCE AGREEMENTS:

COMPLETE CARE

- Same day service call response
- On-site service availability 365 days per year
- Extends the new equipment warranty
- Guaranteed no call-out fee between maintenances
- Increases equipment lifespan
- Free on-site laundry consulting

COMPREHENSIVE CARE

Comprehensive Care is an all-inclusive solution where all labour, parts and maintenance services are included.

- There is a known cost of service
- All equipment is regularly maintained as per Complete Care
- Allows you to plan and budget more effectively
- Simplifies administration and management of laundry servicing
- Provides an unlimited warranty on new equipment for at least seven years



CW10 COMMERCIAL WASHER

- Freestanding front-loader
- User-friendly control panel
- High speed spin for drier laundry
- Mounting base available to comply with OH&S requirements
- Water efficient (56L per wash)

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
CW 10	-	10	96.8	E	113	1156 × 832 × 832	240V/1/50 6A
CW10C	Y	10	96.8	E	113	1156 × 832 × 832	240V/1/50 6A



CD10 COMMERCIAL DRYER

- Companion dryer to CW10 washer
- 4 drying programs
- User-friendly control panel
- Mounting base available to comply with OH&S requirements
- Easily removable lint filter

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight (KG)	Dimensions HxWxD (mm)	Electrical
CD10E	-	10	201	E	68	1156 × 737 × 832	240V/1/50 20A
CD10G	-	10	201	G	68	1156 × 737 × 832	240V/1/50 10A
CD10EC	Y	10	201	E	68	1156 × 737 × 832	240V/1/50 20A
CD10GC	Y	10	201	G	68	1156 × 737 × 832	240V/1/50 10A



CTL7 TOP LOAD WASHER

- Massive 92L porcelian enamel washtub
- Heavy duty two speed motor
- Automatic balance system
- 100% front serviceability
- Rear self levelling legs

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
CTL7	-		92	E	113	1092 × 615 × 711	240V/1/50 5A
CTL7C	Y		92	E	113	1092 × 615 × 711	240V/1/50 5A



CD9EG SINGLE LOAD DRYER

- User friendly control panel
- Easy access front lint filter
- Available with gas or electric heating
- Steel cylinder
- Extra large cylinder capacity

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight (KG)	Dimensions HxWxD (mm)	Electrical
CD9E	-	9	198	E	61	1092 × 683 × 711	240V/1/50 20A
CD9G	-	9	198	G	64	1092 × 683 × 711	240V/1/50 10A
CD9GC	Y	9	198	G	64	1092 × 683 × 711	240V/1/50 10A



CS10 COMMERCIAL WASHER/DRYER STACK

- Coin-operated
- Freestanding soft mount: can be installed on any floor type
- Small footprint for space-saving
- 4 wash programs and 5 drying programs
- Viewing window for both washer and dryer

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
CS10E	-	10	96.8/201	E	177	2032 × 737 × 832	240V/1/50 10A/20A
CS10G	-	10	96.8/201	G	177	2032 × 737 × 832	240V/1/50 10A/10A
CS10EC	Y	10	96.8/201	E	177	2032 × 737 × 832	240V/1/50 10A/20A
CS10GC	Y	10	96.8/201	G	177	2032 × 737 × 832	240V/1/50 10A/10A



CDS9GC DRYER STACK

- User friendly control panel
- Available with gas heating
- Steel cylinder
- Easy access front lint filter
- Reversible doors

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
CDS9GC	Y	9 (x2)	96.8/201	G	177	2032 × 737 × 832	240V/1/50 10A/10A

IY SOFT MOUNT WASHER (HIGH SPIN)



Pictured above: IY65-280

- Ideal for heavy items and towelling
- Aries - easy to use microprocessor
- Patented soap hopper for manual chemical feeding
- Compatible with auto-chemical feed
- Meets Australian Standard AS4146-2000 for disinfection in laundry
- Large door opening for easy loading & unloading
- Mounting base available to comply with OH&S



Pictured above: IY335-1200

MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
IY 65E	6.5	65	E/S/B	170	1115 x 710 x 740
IY 80E	8	75	E/S/B	185	1115 x 710 x 790
IY 105E	11	105	E/S/B	210	1225 x 795 x 795
IY 135E	14	135	E/S/B	255	1225 x 795 x 945
IY 180E	18	180	E/S/B	380	1550 x 1025 x 1015
IY 240E	24	240	E/S/B	430	1550 x 1025 x 1150
IY 280E	28	280	E/S/B	495	1550 x 1025 x 1225
IY 335E	33	335	E/S/B	1190	1905x1195x1330
IY 400E	40	400	E/S/B	1560	1905x1195x1430
IY 520E	55	518	E/S/B	1630	1905x1195x1610
IY 1000E					
IY 1200E					



LOW WATER
CONSUMPTION



OZONE
READY



LARGE DOOR
OPENING



ERGONOMICAL
CONSTRUCTION



IA HARD MOUNT WASHER



- Rigid mounted, normal spin
- Specially designed sluce drum for cleaning of heavily soiled linen
- Aries - easy to use microprocessor
- Patented soap hopper for manual chemical feeding
- Compatible with auto-chemical feed
- Meets Australian Standard AS4146-2000 for disinfection in laundry
- Mounting base available to comply with OH&S
- Large door opening for easy loading & unloading

MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
IA 80	8	75	E/S/B	135	1115x660x785
IA 105	11	105	E/S/B	170	1225x750x785
IA 135	14	135	E/S/B	190	1225x750x900
IA 180	18	180	E/S/B	255	1550 x 925 x 970
IA 240	24	240	E/S/B	275	1550 x 925 x 1130
IA 280	28	280	E/S/B	290	1550 x 925 x 1190
IA 332	35	332	E/S/B	410	1500x1060x1030
IA 520	52	520	E/S/B	520	1500x1060x1315



LOW WATER
CONSUMPTION



OZONE
READY



LARGE DOOR
OPENING



ERGONOMICAL
CONSTRUCTION

IB BARRIER WASHER



- Reduces risk of hospital-acquired-infection (HAI) in hospital theatre linen laundries
- Built-in wall installation for optimal sanitisation
- Fully-programmable microprocessor
- Meets Australian Standard AS4146-2000 for disinfection in laundry
- User-friendly control panel

MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
IB 265	26	265	E/S	960	1600 × 1410 × 1060
IB 332	33	332	E/S	1000	1600 × 1560 × 1060
IB 442	44	442	E/S	1140	1650 × 1610 × 1170
IB 663	66	663	E/S	1360	1650 × 2160 × 1170

IH BARRIER WASHER



- Reduces risk of hospital-acquired-infection (HAI) in hospital theatre linen laundries
- Meets Australian Standard AS4146-2000 for disinfection in laundry
- Freestanding, high spin
- Eco friendly washing programs

MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
IH 180	18	180	E/S	430	1610 × 1010 × 1235
IH 240	24	240	E/S	460	1610 × 1130 × 1235
IH 280	28	280	E/S	-	1610 × 1240 × 1235



HYGENIC SOLUTION



LOW WATER CONSUMPTION



OZONE READY



LARGE DOOR OPENING



ERGONOMICAL CONSTRUCTION



DR SERIES DRYERS

- C.A.R.E. - Combustion Auto Response Equipped
- Fitted with OPTimum (over-dry protection technology)
- Residual moisture-control (Optional)
- Programmable temperature and time
- Reversing action drum (standard on most models)



MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING*	NET WEIGHT (KG)	GAS HEATING (MJ/H)	DIMENSIONS HxWxD (MM)	MATCHING WASHER (KG)
DR 35	13.6	347	E/S/G	163	95	1622 x 800 x 1191	7.0 - 10.0
DR 335	(13.6) x 2	(301) x 2	E/S/G	247	77	1937 x 800 x 1090	(7.0 - 10.0) x2
DR 50R	22.7	530	E/S/G	247	127	1946 x 981 x 1226	11.0 - 18.0
DR 75R	34.1	634	E/S/G	279	174	1946 x 981 x 1378	19.0 - 25.0
DR 120R	54.5	1021	S/G	624	316	2172 x 1181 x 1651	26.0 - 40.0
DR 170R	77.2	1408	S/G	760	417	2388 x 1349 x 1679	41.0 - 55.0
DR 200R	90.9	1656	S/G	774	448	2388 x 1349 x 1870	55.0 - 70.0



DR ECOLINE DRYERS

- 40% lower input of energy (compared to classic DR dryer)
- C.A.R.E. - Combustion Auto Response Equipped
- Fitted with OPTimum (over-dry protection technology)
- Slight input in drying time
- Available from 11.0kg to 32.0kg cap



MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING*	NET WEIGHT (KG)	GAS HEATING (MJ/H)	PACKED DIMENSIONS HxWxD (MM)	MATCHING WASHER (KG)
DR 220 ECO	10.9	217	E/S/G	135	43	1753 x 762 x 1092	7.0 - 10.0
DR 270 ECO	13.6	271	E/S/G	150	50	1753 x 762 x 1245	(7.0 - 10.0) x2
DR 350 ECO	17.4	347	E/S/G	164	77	1753 x 838 x 1245	11.0 - 18.0
DR 490 ECO	24.6	491	E/S/G	197	95	1829 x 902 x 1499	19.0 - 25.0
DR 640 ECO	31.7	634	S/G	624	116	2057 x 1054 x 1433	26.0 - 40.0

CW10C COMMERCIAL WASHER - VENDED



- Coin Operated
- Freestanding front-loader
- User-friendly control panel
- High speed spin for drier laundry
- Mounting base available to comply with OH&S requirements
- Water efficient (56L per wash)

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight (KG)	Dimensions HxWxD (mm)	Electrical
CW10C	Y	10	96.8	E	113	1156 × 832 × 832	240V/1/50 6A

CS10C COMMERCIAL WASHER/DRYER STACK



- Coin-operated
- Freestanding soft mount: can be installed on any floor type
- Small footprint for space-saving
- 4 wash programs and 5 drying programs
- Viewing window for both washer and dryer

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
CS10EC	Y	10	96.8/201	E	177	2032 × 737 × 832	240V/1/50 10A/20A
CS10GC	Y	10	96.8/201	G	177	2032 × 737 × 832	240V/1/50 10A/10A

CTL7C COMMERCIAL WASHER - VENDED



- Massive 92L porcelian enamel washtub
- Heavy duty two speed motor
- Automatic balance system
- 100% front serviceability
- Rear self levelling legs

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
CTL7	Y		92	E	113	1092 × 615 × 711	240V/1/50 5A



IAG INDUSTRIAL WASHER - VENDED



- Rigid mounted, normal spin
- Aries - easy to use microprocessor
- Patented soap hopper
- Large door opening for easy loading & unloading

MODEL	CAPACITY (KG)	VOLUME DRUM (L)	HEATING	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
IA 80C	8	75	E/S/B	135	1115x660x785
IA 105C	11	105	E/S/B	170	1225x750x785
IA 135C	14	135	E/S/B	190	1225x750x900
IA 180C	18	180	E/S/B	255	1550 x 925 x 970
IA 240C	24	240	E/S/B	275	1550 x 925 x 1130
IA 280C	28	280	E/S/B	290	1550 x 925 x 1190

DRG STACKED DRYER



- Coin operated
- Rapid and efficient drying times
- Easy to use controls
- 2 dryers in 1 footprint
- Self-adjusting belts
- Heavy duty door and hinge

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
DRG335C Stack	Y	2 x 15	2 x 301	G	247	1937 x 800 x 1086	240/1/50 (9A)
DRG445C Stack	Y	2 x 21	2 x 421	G	305	2063 x 876 x 1235	240/1/50 (10.8A)

DR TUMBLE DRYER



- Coin operated
- Rapid and efficient drying times
- Exceptional reliability
- Large lint screen
- Self-adjusting belts
- Heavy duty door and hinge
- Efficient drying process

Model	Coin Operation	Capacity (KG)	Volume Drum (L)	Heating	Net Weight(KG)	Dimensions HxWxD (mm)	Electrical
DRG30	Y	13.6	271	G	150	1622 x 711 x 1191	240/1/50 (7.5A)
DRG50	Y	26.4	528	G	247	1946 x 981 x 1226	240/1/50 (7.5A)

COIN LAUNDRY ACCESSORIES

As well as providing quality IPSO equipment to get your coin laundry up and running, Laundry Solutions Australia offers the best in coin laundry accessories.

SOAP DISPENSERS



Slide Soap Dispenser

2 column dispenser with coin slide.
Holds 46 boxes .
\$2 vend price.
High security.
959mm (h) x 286mm (w) x
241mm (d).
For use with soap packets.

LAUNDRY POWDER



2 in 1 Lemon Detergent Powder

No added fillers.
Added Natural Fabric Softener as standard.
Bio-degradable and phosphate free – great for our environment.
Non corrosive – great for your washing machine, less maintenance.
Great in hot or cold washes.
Septic system safe.

NOTE CHANGE MACHINES



Abacus Range

Designed with security and reliability in mind.
Five different models available.
Designed for most applications and budgets.



Dual Coin PRO

Simple to use.
Strong and secure.
Dispenses \$1 and \$2 coins and tokens.
Comes on stand.
LCD graphic display.
Holds upto 3000 x \$1 coins per hopper.

EnviroSaver

Ozone Laundry Disinfection

EnviroSaver is the Australian designed and manufactured ozone laundry disinfection system from Laundry Solutions Australia.

Based on industry knowledge, Laundry Solutions Australia developed the EnviroSaver to suit Australian operational and quality requirements.



49%
WATER
SAVINGS



49% WASTE
WATER
REDUCTION



84%
ELECTRICITY
SAVINGS



40%
GAS
SAVINGS



100%
COMPLIANCE TO
AS4146/2000

SAVES ENERGY

Meeting Australian standard AS4146/2000 means every wash load is disinfected in the laundry. Whilst traditionally this is done with high temperatures, with EnviroSaver disinfection, this is possible with cold water. Meaning you can save upto 84% in electricity usage. As hot water is not used, over 40% of gas usage in the laundry is reduced.

Electricity Comparison

White Sheets and Towels	Conventional Electricity (k/w)	EnviroSaver Electricity (k/w)
Pre Wash	0.07	0
Main Wash	4.76	0.53
Bleach Bath	1.58	0
1st Rinse	0.07	0.23
2nd Rinse	0.07	0.07
3rd Rinse	0.07	0
Spin	0.20	0.20
Total	6.82	1.03

Water In & Out Comparison

White Sheets and Towels	Conventional Water (Liters)	EnviroSaver Water (Liters)
Pre Wash	95	0
Main Wash	68	64
Bleach Bath	68	0
1st Rinse	86	90
2nd Rinse	86	90
3rd Rinse	77	0
Spin	0	0
Total	489	244

Gas Comparison

White Sheets and Towels	Conventional Gas (M)	EnviroSaver Gas (M)
Pre Wash	15	0
Main Wash	22	0
Bleach Bath	22	0
1st Rinse	0	0
2nd Rinse	0	0
3rd Rinse	0	0
Spin	0	0
Dryer	77	77
Total	136	77

SAVES WATER AND REDUCES WASTE WATER VOLUME


Saves upto 49% of water and drainage costs, by way of reducing the number of fill actions.

HOW OZONE WORKS:

Ozone complies with AS4146/2000 standard by killing bacteria on contact with the cell wall.



Bacteria Cell



Ozone molecules oxidizing the cell wall and creating tiny holes



Bacteria cell disintegrates



MODULAR:

Each washing machine is equipped with its own oxygen generator & ozone generator with a three step validation system.

VERSATILE:

EnviroSaver can be installed on any existing industrial washing machine, irrespective of its brand.

RI ROLLER IRONER



- Return-feed ironer for pre-dried linen
- Ideal for a small volume of linen

MODEL	ROLLER DIAMETER (MM)	ROLLER LENGTH (MM)	HEATING*	OUTPUT (KG/H) / (RH**)	WORKING WIDTH (MM)	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
RI 1200/25	250	1200	E	30 / 15%	1150	100	1003 x 1640 x 420
RI 1400/25	259	1400	E	35 / 25%	1350	106	1003 x 1840 x 420
RI 1600/30	300	1600	E	50 / 25%	1550	221	1073 x 2090 x 552
RI 2001/30AV	300	2000	E	60 / 25%	1950	243	1073 x 2490 x 552

FCI FLATWORK IRONER



- Return-feed flatwork ironer
- Iron direct from washer (no need to pre-dry*)
- Ironing belts placed on pressure roller, increasing ironing capacity and quality
- Ideal for a medium volume of linen

MODEL	ROLLER DIAMETER (MM)	ROLLER LENGTH (MM)	HEATING*	OUTPUT (KG/H) E/S/G	WORKING WIDTH (MM)	NET WEIGHT (KG) E/S/G	DIMENSIONS HxWxD (MM)
FCI 1664/320	320	1740	E/G	62/-/58	1600	435/-/410	1250 x 2185 x 750
FCI 2080/320	320	2140	E/G	70/-/72	2000	490/-/465	1245 x 2600 x 780
FCI 1600/500	502	1600	E/S/G	65/80/65	1600	890/900/920	1232 x 2350 x 1052
FCI 2000/500	502	2000	E/S/G	80/95/80	2000	1020/1070/1150	1232 x 2750 x 1052
FCI 2600/500	502	2600	E/S/G	95/115/95	2600	1260/1280/1290	1232 x 3350 x 1087
FCI 3200/500	502	3200	E/S/G	120/140/120	3200	1470/1540/1590	1232 x 3950 x 1087



FCIR/FCIF CHEST HEATED IRONER



- Return-feed or pass-through
- Iron direct from washer (no need to pre-dry*)
- Feeding and folding optionally available
- Range of working widths available
- Ideal for large volume of linen

MODEL	ROLLER DIAMETER (MM)	WORKING WIDTH (MM)	HEATING*	OUTPUT (KG/H) E/S/G	NET WEIGHT (KG)	DIMENSIONS HxWxD (MM)
FCIF/FCIR 2000/500	500	2000	E	80/95/80	FCIR : 1090/1140/1230 FCIF : 1150/1200/1290	FCIR : 1568 × 2750 × 1528 FCIF : 1568 × 2750 × 1620
FCIF/FCIR 2600/500	500	2600	E/S/G	95/115/95	FCIR: 1350/1350/1380 FCIF: 1430/1430/1440	FCIR : 1568 × 3350 × 1528 FCIF : 1568 × 3350 × 1620
FCIF/FCIR 3200/500	500	3200	E/S/G	120/145/120	FCIR: 1490/1520/1580 FCIF: 1590/1620/1680	FCIR : 1568 × 3950 × 1528 FCIF : 1568 × 3950 × 1620

FCIFF CHEST HEATED IRONER



- Integrated feeder, folder, cross-folder and stacker
- Capable of single-user operation
- Batch-control capability
- Iron direct from washer (no need to pre-dry*)
- Range of working widths available
- Ideal for large volume of linen

MODEL	ROLLER DIAMETER (MM)	WORKING WIDTH (MM)	HEATING*	OUTPUT (KG/H) E/S/G	NET WEIGHT (KG) E/S/G	DIMENSIONS HxWxD (MM)
FCIFF 2000/500	502	2000	E/S/G	80/95/80	1690/1700/1720	1760 × 2850 × 1790
FCFF 2600/500	502	2600	E/S/G	95/115/95	2060/2180/2100	1760 × 3450 × 1790
FCIFF 3200/500	502	3200	E/S/G	120/145/120	2360/2400/2380	1760 × 4050 × 1790

*Based on 50% (or less) moisture retention

LSA LABELLING SYSTEM

The loss of clothing and personal items is a common and frustrating occurrence within any large facility. Laundry Solutions Australia recognises this issue, offering a variety of clothing and personal property identification options to suit any facility.

NO COST,

JUST PAY FOR LABELS

CURTIS ARNOLD
1300 666 289

ROOM 12A
KEN STANFORD

PROPERTY OF
GLADYS MAGUIRE

MATTHEW MAREK

JOHN SMITH
ABC AGED CARE

DONNA HOPPER
ROOM 14B

Receive the heat sealer for your exclusive use, free of charge including maintenance. This is by far the most popular option within the industry because the facility does not need to outlay any cost for the heat seal machine, they just start labelling their resident's clothing.

- No time based lock-in contract (just a label supply agreement committing to purchase your labels exclusively with us)
- Heatsealer provided at no cost in exchange for ongoing label orders.
- Printed and posted same day
- Guaranteed to **stay on** and **not fade** for life of garment
- Available in **white, blue, yellow, orange, green** and **pink**
- Larger labels to accommodate any name, with the option of two lines (65mm x 11mm)

Laundry Solutions Australia also offers a **rent/buy option**, as well as an option to purchase the heat sealer outright.

Please contact a consultant for more information.

PRINT YOUR OWN LABELLING SYSTEM:

Laundry Solutions Australia now also provides a '**Print Your Own**' system, which allows you to print your labels on site at your convenience.

This system includes all you need to print at anytime, and as many labels as you wish.

One set price. Labels come in white.

Available to purchase outright or through label supply agreement (no cost, just pay for labels.)

Includes:

- Heatsealer
- Printer
- Keyboard
- Roll of (738) labels (40mm x 14mm)
- Printer ribbon.





SINGLE COLLECTION

- Foot-operated lids (OH&S Safe)
- Large polyurethane wheels
- Colour-coded Lids
- Stainless steel body
- Choice of yellow, red, blue, green or white lids
- 880(h) x 500(w)x 535(d)



DOUBLE COLLECTION

- Foot-operated lids (OH&S Safe)
- Large polyurethane wheels
- Colour-coded Lids
- Stainless steel body
- Choice of yellow, red, blue, green or white lids
- 880(h) x 890(w) x 535(d)



TRIPLE COLLECTION

- Foot-operated lids (OH&S Safe)
- Large polyurethane wheels
- Colour-coded Lids
- Stainless steel body
- Choice of yellow, red, blue, green or white lids
- 880(h) x 1290(w) x 535(d)



COLLECTION TROLLEY - NO LID

- Perfect for hospital use or linen collection
- Available in single, triple or double
- Stainless steel body
- Large polyurethane wheels



COLLECTION BAGS

- Ziploc® drawstring
 - High tensile strength material
 - Available in red, white, green, yellow & blue
- *Trolley not included




BAG SLING

- Stops collection bags from overfilling
- Adjustable Height
- Easy to use velcro design
- Can be applied to LSA and most other collection trolleys
- Keeps bag weight manageable



SIDE BIN

- Comes with bracket and bin
 - Installed in seconds
 - Lightweight & solid frame
 - Compatible with LSA trolleys
 - Spring loaded lockable lid
- *Trolley not included



SOLUSEAM BAGS

- For use when cleaning "foul" laundry
- Sits inside regular trolley bag
- Soluble seam opens in wash, releasing garments
- No need to handle heavily soiled laundry
- Comes in box of 250



PERSONAL DISTRIBUTION

- Distribution of clean clothing
- Caters for up to 30 Residents (double-sided), with name tags
- Large polyurethane wheels
- Sliding baskets for easy access
- Side hanging rails
- Cover available
- 1425(h) x 985(w) x 545(d)



LINEN DISTRIBUTION

- Distribution of clean linen and towels
- Large polyurethane wheels
- Side hanging rails
- Rolls straight into linen closets
- Alleviates double handling
- Cover available
- 1425(h) x 985(w) x 545(d)



RISING BASE

- Safe transport and storage of full linen bags
- Spring-loaded rising base (OH&S Safe) with stainless steel hooks
- Large polyurethane wheels
- Ergonomic height
- Light-weight & durable plastic moulded body
- Available in white, blue, red, green or black
- Cover and optional push handle available
- 350 Litre
- 790(h) x 700(w) x 1000(l)



GARMENT RACK

- For transport and storage of hangable clothing
- Hang clothes straight from dryer
- Lightweight & durable
- 6 height adjustments
- Polyurethane wheels
- 1405-1905(h) x 750(w) x 1335(l)



FOLDING TABLE

- For transferring from washer to dryer
- Mobile folding table
- Easy storage under fixed bench
- Optimal OH&S height
- Large polyurethane wheels
- Large PVC top
- Raised edges for load stability
- 850(h) x 640(w) x 1170(l)



3 TIER TROLLEY

- Ideal for utility, food and laundry applications
- Large 4 inch wheels
- Strong PP plastic and aluminium tube
- Large size: 980(h) x 510 (w) x 1030 (l)



ph: 1800 243 477

www.yourlaundry.com.au

info@yourlaundry.com.au



Head Office:

1/6 Redland Drive,
MITCHAM VIC 3132

Sales Office:

25/17-23 Kepple Drive,
HALLAM VIC 3803

QLD Office:

20/30 Mudgeeraba Road
WORONGARY QLD 4213