

VICTORIA



What Do You
get out of a
Clark Tank?



Australian Made
Australian Owned

- ✓ **Australian manufactured & owned** - our rainwater tanks are made from pure Australian food grade polyethylene
- ✓ **Greater strength** - one piece construction, smooth ribbed profile, no side seams
- ✓ **Safe** - meets strict Australian standards for food and water storage, mosquito-proof design
- ✓ **NATA capacity tested**
- ✓ **Tanks manufactured to comply with Australian standard AS4766**
- ✓ **25 year warranty all round tanks** *



Water Tanks



Slimline Tanks



Underground Tanks



Accessories





Pumps

When it comes to choosing a rainwater tank, you want one designed and built to exacting standards for enduring quality and style. You want a tank with proven performance, one that Australians have counted on for years. In other words, you don't just want a rainwater tank, you want a Clark Tank.

Home Owners ► Farmers ► Builders/Developers ► Industrial

* Conditions apply







46,800 L | CT10000



31,800 L | CT7000




23,600 L | CT5200SQ




22,700 L | CT5000




13,600 L | CT3000




10,000 L | CT2200




9,500 L | CT2100SQ




9,000 L | CT2000




5,000 L | CT1100



5,000 L | CT1100SQ




4,500 L | CT1000SQ



3,000 L | CT660



2,500 L | CT575



2,000 L | CT440



1,000 L | CT225

* Conditions apply



White



Merino



Beige



Bronze Olive



Heritage Green



River Gum



Smooth Cream



Wheat



Heritage Red

Tank stock colours

Specifications are subject to change without notice. Sizes, measurements and capacities are approximate only. Sizes can vary due to rotomoulding process and area of manufacture. Colours shown are indicative only. Please refer to the manufacturer's colour chips for accurate colour representation.



Mountain Blue



Torris Blue



Light Grey



Slate Grey



Black

Slimline

Locally made poly tanks designed for strength, space and cost efficiency with great visual appeal. Supaslim to fit any location.

10 YEAR WARRANTY



capacity > 2000 L

Height > 1,855mm
Length > 2,430mm
Width > 605mm




capacity > 3000 L

Height > 1,950mm
Length > 2,400mm
Width > 805mm



capacity > 5000 L

Height > 1,980mm
Length > 2,755mm
Width > 1,045mm



Superior quality and value

- A** Optional 'top hat' cover stops sunlight entering tank and keeps water algae free
- B** A large UV stabilised strainer
- C** Raised strainer mount ensures frog-proof fit
- D** Optional water diverter prevents the first flush of dirty rainwater from entering the tank
- E** Raised overflow outlets ensure maximum water storage
- F** 90mm gauze stops frogs and mosquitoes entering tank

Installation Guidelines

- Base must be flat and level and constructed with concrete or crusher dust
- Install a 300mm flexible hose as close as possible to the outlet
- See the Clark tanks website for detailed installation instructions and warranty conditions at www.clarktanks.com.au

Optional Accessories



Lids / Manhole Covers

Optional 'top hat' cover stops sunlight entering the tank and keeps water algae free.



Water Diverters DIY Kits

Diverts first flush of rainwater to keep tank water clean. Simple and effective DIY kit. Just add pipe. Self draining. Size: 90mm

Industrial tanks from Clark affiliated companies



Tanks

Industrial polymer tanks




Clark Industrial Tanks offers a specialised consulting service for the supply of custom-fitted industrial tanks for a range of applications in the market sectors of industrial liquid storage, chemical storage, liquid feed and fertiliser.

- Products range from Industrial tanks to Silos, Molasses tanks, SG 1.0, 1.5, 2.0 just to name a few
- Established national distribution service
- Manufacturing sites in Queensland, New South Wales and Victoria
- Tanks designed and manufactured to align specific industrial requirements
- Full range of fittings and attachments fitted to your specifications

www.clarkindustrial.com.au

LI-LO Underground Rainwater Tanks



Low installation depth – so no slope angle required

Excavation approx 7.6m³ / 268 ft³



Excavation approx 31m³ / 1095ft³

	1500L	3000L	5000L
Length	2100mm	2450mm	2890mm
Width	1250mm	2100mm	2300mm
Height of tank collar	700mm	735mm	950mm
Height of dome collar	315mm	315mm	315mm
Weight	80kgs	170kgs	240kgs

Key Features

- German engineered and manufactured in Australia
- No Ballasting required.
- Compact shallow excavation design
- Fully integrated self cleaning filter option
- Driveway manhole option available
- Child proof cover option available

Please note: Additional details of the Underground tanks can be found at www.clarktanks.com.au

THE PERFECT SOLUTION!



▶ How do you install a tank? It's easy 1, 2, 3...



You get more out of a Clark Tank

Clark Tanks is the country's premier brand of polymer rainwater tanks. Manufacturing since 1997, Clark Tanks are designed and built to last in tough Australian conditions. As an Australian owned and operated company, Clark Tanks is committed to providing quality products designed to meet the needs of rural and residential Australia.