



4 / 27 Activity crs  
Molendinar

BSA : 1154103

ABN : 634 562 675 08

To : The Estimator

We're always looking for ways to improve our products and service . One change we are making is to simplify our **Builders range** by producing an easy to read and select brochures.

As a result we are pleased to release our **Builder Range brochures** including :

- Aluminium Balustrades
- Glass Balustrades
- Pool fences
- Entry gates
- Privacy screens and fence panels

#### Here's what's changed

- Our brochures now include Easy to identify numbering system
- Each item has a Photo and text descriptions
- We have Sample panels available at our office showcasing our **Builders Range**
- Increased capacity in our workshop allows us to achieve quicker turnaround times
- A quick and efficient quoting system

#### What's staying the same ?

- All of our products are engineered to meet Australian standards.
- Locally designed and manufactured
- A Grade Aluminium is also able to produce those "once off designs" that you may require to meet a customer specific needs

If you'd like more information on our designs and pricing structure, please do not hesitate to contact our Sales Staff .(07 55 646 011)

Please view our website : [www.agradealuminium.com.au](http://www.agradealuminium.com.au)

We look forward to working with you


Dave Kelly

Manager

# Aluminium Balustrades



**TYPE A**



- 60mm x 40mm top rail
- 38mm x 25mm bottom rail
- 20mm x 20mm square vertical bars with 50mm x 50mm posts

**TYPE B**



- oval shaped top rail and bottom rails
- 20mm diameter vertical bars with 50mm diameter posts

**TYPE C**



- 60mm diameter top and bottom rails
- 20mm diameter vertical bars
- 50mm diameter posts

**TYPE D**



- 60mm x 40mm top rail
- 38mm x 25mm middle and bottom rails
- 20mm x 20mm square vertical bars with 50mm x 50mm posts

**TYPE E**



- 60mm x 40mm top and bottom rails
- 50mm diameter posts
- 20mm diameter vertical bars

**TYPE F**



- Oval shaped top rail, 50mm x 50mm post, stainless steel wire inserts

# Glass Balustrades



4/27 Activity Crescent, Molendinar, Queensland, 4214

**TYPE G**



- 50mm x 50mm posts
- 50mm x 25mm handrail attaching to post via aluminium brackets

**TYPE H**



- Oval shaped top rail
- 50mm x 50mm post, 10mm clear toughened glass

**TYPE I**



- 68mm x 40mm top rail
- 50mm x 50mm post, 10mm clear toughened glass

**TYPE J**



- Oval shaped top rail
- 50mm x 50mm post, 50mm x 35mm bottom rail
- 10mm clear toughened glass

**TYPE K**



- 12mm clear toughened glass
- 50mm diameter stainless steel spigots
- 40mm diameter stainless steel top rail

**TYPE L**



- 12mm clear toughened glass
- 38mm diameter stainless steel standoffs
- 40mm diameter stainless steel top rail

# Aluminium Gates



4/27 Activity Crescent, Molendinar, Queensland, 4214

**TYPE M**



- 38mm x 25mm vertical bars spaced at 40 mm gaps
- 40mm x 40mm frame behind

**TYPE N**



- 65mm x 10mm horizontal slats spaced at 15mm gaps
- 40mm x 40mm frame

**TYPE O**



- White Acrylic sheets
- 50mm x 50mm frame

**TYPE P**



- 25mm x 25mm vertical bars
- 40mm x 40mm mid rails
- 50mm x 50mm frame

**TYPE Q**



- 65mm x 10mm louvres
- 40mm x 40mm frame

**TYPE R**



- 65mm x 10mm horizontal slats
- 40mm x 40mm frame



# Pool Fences



4/27 Activity Crescent, Molendinar, Queensland, 4214

FRAMELESS



- 12mm clear toughened glass
- 50mm diameter stainless steel spigots

SEMI-FRAMELESS



- 10mm clear toughened glass
- 50mm x 50mm or 50mm diameter post

PROJECTED SEMI FRAMELESS



- 10mm clear toughened glass
- 50mm x 50mm or 50mm diameter post

FLAT TOP FENCE



- 38mm x 25mm top and bottom rails
- 16mm diameter vertical bars
- 50mm x 50mm posts

# Privacy Screens & Fence Panels



4/27 Activity Crescent, Molendinar, Queensland, 4214

**TYPE S**



- 65mm x 10mm slats spaced at 15mm gaps

**TYPE T**



- 40mm x 40mm frame
- 65mm x 10mm horizontal louvres

**TYPE U**



- 65mm x 10mm vertical slats butted together
- 40mm x 40mm frame

**TYPE V**



- 40mm x 40mm rails
- 20mm diameter bars with spear top

**TYPE W**



- 40mm x 40mm frame
- elliptical shaped louvres

**TYPE X**



- 40mm x 40mm frame
- 65mm x 10mm slats spaced at 15mm gaps