

For all your hire needs -Great Service, Great Price's, Great Equipment.



Dacifichire

The hire rate we quote is what we charge. **No added extras.**

> We include: all government charges. Our market rates are fair.

TRADING HOURS: MONDAY TO FRIDAY: 7:30AM TO 5PM SATURDAY: 8AM TO MIDDAY 24 hour emergency contact CARDS WE ACCEPT:



ID REQUIRED: CURRENT VICTORIAN DRIVERS LICENSE



TABLE OF CONTENTS

PAGES 2 & 3.	Location & Transport
PAGES 4 & 5.	Access Equipment – Booms/Scissors
PAGES 6 & 7.	Access Equipment—Scaffold,Ladders
PAGES 8 & 9.	Breakers—Air, Electric and Hydraulic
PAGES 10 & 11.	Cleaning Equipment
PAGES 12 & 13.	Compaction Plates & Rammers
PAGES 14 & 15.	Compaction Rollers
PAGES 16 & 17.	Compressors & Air Tools
PAGES 18 & 19.	Concrete Tools and Grinders
PAGES 20 & 21.	Earthmoving - Excavators
PAGE 22.	Earthmoving - Mini Loaders
PAGE 23.	Earthmoving - Skidsteer Loaders
PAGE 24.	Bobcat Skid Steer Loaders
PAGE 25.	Fans & Heaters
PAGES 26 & 27.	Generators
PAGE 28.	Landscaping & Garden Equipment
PAGE 29.	Landscaping & Garden Equipment
PAGE 30.	Lift & Shifting Equipment & Forklifts
PAGE 31.	Lift & Shift Hoisting
PAGE 32.	Post Hole Diggers
PAGE 33.	Plumbing & Pumps
PAGE 34 & 35	Saws—Concrete, timber, tile, metal
PAGE 36.	Site, Safety and Traffic Equipment
PAGE 37.	Trench Diggers
PAGE 38.	Trailers
PAGE 39.	Site Acommadation & Toilets
BACK PAGE	<u>www.pacifichire.com.au</u>



MELBOURNE

1950 Sydney Rd, Campbellfield, Vic. 3061 0434 211 210

MYRTLEFORD

35 Myrtle St, Myrtleford, Vic. 3737 03 5752 1019

WANGARATTA

52 – 56 Parfitt Rd, Wangaratta, Vic. 3677 03 5721 5977

TRANSPORT

On time delivery available anywhere in the south eastern states of Australia. We can Deliver, with great transport rates and a smile to go with it, we can get it there on time for you. With our inhouse transport, we govern the rates for delivery so we can help you fit into that budget.





Trailer Mounter Booms/Cherry Picker

A Trailer Mounted Boom is a great option for those multiple jobs. They can be towed by a normal vehicle and be used on all firm surfaces. Trailer Mounted Booms are great for tree lopping, painting and cleaning.

SUITABLE FOR

Facilities Maintenance Shopping centres and other indoor/outdoor areas Manufacturing and warehouse applications and stock-takes Telecommunication facilities Entertainment facilities Electricians, Plumbers, maintenance and construction work.





Articulated Knuckle Booms from 34ft to 135ft

Knuckle Booms are specifically designed to access areas that require an up and over approach. This helps you work around obstacles or other restrictions in your path. Pacific Hire has a wide range of Knuckle Booms with platform heights from 10.6m/34ft up to 41.1m/135ft that can be manoeuvred above, horizontal, or lower than ground level.

Straight Stick Booms from 40ft to 135ft

Straight booms offer you the maximum length in high-reach capabilities making them ideal for the construction or maintenance contractor. They allow you to manoeuvre above, and straight out from ground level. Pacific Hire supply a range of straight booms with platform heights ranging from 12.1m/40ft – 41.1



Single Man Lifts

A wide range of machines to meet your every need Working heights from 7 to 14 m 2 available versions supply-power (AC) or batteries (DC) The Quick-Up will follow you on every project Easy to transport on a trailer or van Only one person is needed to install a Quick Up The light weight enables use on fragile grounds, tiles,

carpeting... Quick up are extremely compact, they can access the tightest spaces, fit through standard doorways and can be transported in lifts



Scissor Lift Electric 5.8 metre to 14 metre

Quiet & versatile, Electric Scissor Lifts are ideal for indoor and slab work applications. Electric Scissor Lifts are used in construction, maintenance, distribution and the events industry.

SUITABLE FOR

Facilities Maintenance Shopping centres and other indoor/outdoor areas Manufacturing and warehouse applications and stock-takes Telecommunication facilities Entertainment facilities Electricians Glaziers Plumbers All maintenance and construction work



Scissor lift (All Terrain) 8.1metre or 15metre

Rough terrain scissor lifts are ideal for high reach work in almost any conditions. Our of rough terrain scissor lifts are fitted with outriggers, manual and self-levelling functions which are essential when working on difficult ground conditions.

Suitable for, Facilities Maintenance Shopping centres and other indoor/outdoor areas Manufacturing and warehouse applications and stock-takes Telecommunication facilities Entertainment facilities Electricians Glaziers Plumbers All maintenance and construction work Electricians Plumbers Wall panel installers All maintenance and construction work, factory fit outs Any outside work where 2 people are required.



<u>www.pacifichire.com.au</u>

Aluminium No Bolt Mobile Scaffold & Quickstage Scaffolding

- No Bolt Scaffold so it's light & easy to install
- Variety of sizes available from 2m to 6m high
- We can deliver or you can collect it.
- Easy to understand instructions supplied
- Built to Australian Standards.
- Quick stage.



Snappy Scaffold

One piece folding work platform. Versatile Scaffold/work stand ideal for home handyman, painters, electricians, and air conditioning installers.

No more step ladders. The 'Instant Snappy' is a compact, lightweight work platform which folds up for easy storage and transportation. Offering a platform height of 0.4, 0.8, 1.2



Ladder Platforms

- 1500mm Standing Height
- 1800mm Standing Height
- 2400mm Standing Height



Trestles and Planks

- 6'(1.8m) to 14'(4.2m) Trestles
- Aluminium Planks from 3m to 6m

Extension Ladders

• 3m to 10m

Step Ladders

• 8' (2.4m) and 12' (3.6m







Jack Hammer - small/medium electric

Hire a jack hammer to break concrete up to 75mm thick.

Ideal for shower recesses, steps, post holes for patios.

- Points, chisels, spades and asphalt cutters available.
- Tile removers available.

• Runs off mains power or hire a 2kva generator. Comply with strict European vibration laws when you hire a jack hammer from Pacific Hire.



Jack Hammer - medium electric

Hire a Medium jack hammer to break concrete up to 100mm thick.

Ideal for shower recesses, steps, post holes for patios.

- •Points, chisels, spades and asphalt cutters available.
- •Runs off mains power or hire a 2kva generator.

Comply with strict European vibration laws when you hire a jack hammer from Pacific Hire



Jack Hammer - large electric

Hire a large electric jack hammer for breaking concrete up to 150mm thick.

- Points, chisels, spades and asphalt cutters available
- Use mains power or 8kva generator
- Weight: 27kg
- Comply with strict European vibration laws when you hire a jack hammer from Pacific Hire

Small Airpick 11.5 kg - Air powered

Great for working on horizontal or smaller jobs.

- Anti vibration handle reduces operator fatigue .
- Weight 11.5kg
- Air Required 33.4 cfm
- Impact Rate 1450 per min
- Points, chisels, spades and asphalt cutters available





Jack Hammer 25 kg - Air powered

A heavy duty jackhammer breaker for breaking large areas of concrete. The only bigger and easier is excavator mounted. Spades and asphalt cutters available

- Anti vibration handle reduces operator fatigue.
- Weight 25kg
- Air Require 33.4cfm
- Impact Rate 1350 per min
- Points, chisels, spades and asphalt cutters available

Hydra-Pack & Breaker 27kg, great for those jobs that require that extra punch but you can't use a large towable unit.

This Hydra-Pack also has a pump attachment.







Vacuum Hire - wet or dry

Hire an industrial vacuum for jobs where the vacuum you use for your hallway just isn't going to be big enough. Water spills, lots of dust, this vacuum will do it all. We hire carpet dryers if that's why you want one of these...

- •Use it for water or dust
- Large capacity
 Heavy duty suction

Carpet Dryer





Water Blaster Hire - 1900psi electric

Water blaster to clean moss and other gunk off paving, walls and roofs, or clean your car or house windows.

In fact, any cleaning application where some pressure will make the job easier can be done when you hire a water blaster.

- 1900 psi
- 12 litres per minute
- Hose Length: 10m
- One heavy duty extension lead maximum

Pressure Cleaners - 3000 psi - 4000 psi

- Easy start Honda motors
- Hose Reel Length: 10m
- Water output: 15l litres per minute
- Try a turbo head attachment for that pavement cleaning job, it will boost your Pressure.





Stihl Power Broom

- Petrol powered sweeper.
- Makes light work of the biggest cleaning tasks
- Great for use when installing artificial grass surfaces



Water Furphy & Fire Fighting Pump.

- Petrol powered 3000psi water blaster.
- Water cart holds 1000 litres (about an hour of use).
- Great to use on site to keep the dust down as it can be converted to a water furphy.





Small Vibrating Plate

Small vibrating plates are perfect to hire for use for small areas of granular soil - patios, footpaths and paving. Small enough to fit in a car boot - but a two person lift for safety.

- Easy start Honda motor
- Weight: 50kg
- Travel Speed: 23m/min
- Base Plate l x w 480mmm x 300mm
- Centrifugal Force: 1 tonne



Vibrating Plate

Hire a vibrating plate for crushed rock footpaths, paving and packing sand under slabs.

- •Easy start Honda Motor
- •Width 460mm
- Weight 85kg
- •Compaction depth up to 300mm
- •Centrifugal force 1.98 t (19.8kn)
- •Travel speed up to 28m/min



Rammer Hire

Hire a Tamping Rammer for back-filling trenches or holes.

- Four stroke petrol for easy starting.
- Weight 76 kg
- Foot size 320mm long x 260mm wide.

DPU - Vibrating Plate- 300kg-500kg reversible

A vibrating plate designed for jobs where lots of compaction is needed in a confined area.

Hire this vibrating plate when you need more compaction than a 2.5 tonne roller but in a confined area...

Specifications

- Weight 140kg
- Width 400mm
- Max Speed 21m/min
- Unleaded petrol, key start
- self propelled forward and reverse



Trench Roller - 1.2 tonne

Small Roller for all sorts of jobs where the bigger rollers will do the job but you can't get in. Long term rates our speciality on this roller

- 1.20 tonne
- pressurised water to both drums
- vibration front, rear or both
- drum width 800mm



Roller - 1.5 tonne

Small Roller for all sorts of jobs where the bigger rollers will do the job but you can't get in. Long term rates our speciality on this roller

- 1.50 tonne
- pressurised water to both drums
- vibration front, rear or both
- drum width 1000mm



Roller - 2.8 tonne Smooth Drum

Roller hire for all sorts of jobs where the smaller roller will do the job but you want to do it quicker. Long term rates our speciality on this roller

- 2.80 tonne
- pressurised water to both drums
- vibration front, rear or both
- drum width 1200mm
- max centrifugal force 3.14kN



Roller - 7 - 12 tonne smooth drum

For high quality compaction of cohesive soils.

7.0 Tonne specs:

- Weight 6,900kg
- Drum Width 1372mm
- Centrifugal force 99kN



Roller - 7 – 14 tonne pad foot

For high quality compaction of cohesive soils.

5.0 Tonne specs:

- Weight 5,148.0kg
- Drum Width 1372mm
- Centrifugal force 99kN



www.pacifichire.com.au

15





• 12cfm Belt driven

- Great for spray painting cars
- Nail guns & Braid guns
- Easy to move around on site



Compressor - 130cfm – 186cfm

These units can be for powering our air powered jack hammers & drills, or using them as a back up system on your yard compressor.

- 130cfm
- Hose's come in 20m lengths
- Will power two of our breakers
- Long tow bar for easy backing



Compressor Hire - 290cfm - 400cfm

- These units are that extra grunt needed for helping with overflow of your factory compressor.
- You can power one of our large jack hammers to break up some concrete with that extra punch.

Secret Nail Gun

- Flooring made easy, staples available in packs of 1000.
- Various sizes available.



CP9 Air Powered Concrete Drills

Ideal for small chipping jobs or repetitive drilling jobs. Available with

- Points & Chisels
- Masonry drill bits

Jack Hammer 25 kg - Air powered


A heavy duty jackhammer breaker for breaking large areas of concrete. The only bigger and easier is excavator mounted.

- Heavy duty silenced jackhammer which complies with strict European vibration and noise laws
- Spades and asphalt cutters available




Small Airpick 11.5 kg - Air powered

Great for working on horizontal or smaller jobs. Points, chisels and clay spades available













Laser levels and Dumpy Levels

Pacific Hire lasers are built for rugged environments and ideal for longer range measurements across your entire site.

- checking elevations
 - setting Concrete forms (small and large jobs).

Electric Concrete Mixers

They mix concrete. & Mortar

Trowel Machine Hire

Quality Power trowel hire for finishing all concrete work.

- Honda Motors.
- Trowel Blades changed every hire for guaranteed quality.

For best results - use trowel after screeding off. If you can't walk on it, it's too soft to trowel.

Q

Concrete Vibrating Shaft—hand held

Hire a light weight vibrating shaft to give concrete improved strength and density by removing any trapped air.

- Unit Length: 2160mm
- Vibe head length: 430mm
- Vibe Head diameter:45mm
- Unit Weight: 11.5kg

Concrete Core drill



Tyrolit Core Drills are used for breaking through masonry, in installation engineering, for corner drilling on wall and wire saw jobs and for perforation drilling.

- Diamond Cutting Bits available—75mm, 82mm, 102mm and 127mm
- Stand option for comfortable and precise drilling
- Vacuum pump also available for more efficient remounting of drilling rig
- Suitable for drilling rock, concrete and masonry

Concrete hammer Drill Electric—small or medium



Hire a Medium Electric Hammer drill or small electric Hammer drill for easy drilling of holes in masonry. Bits available from 6.5mm to 35mm in diameter.

- Suitable for drilling rock, concrete and masonry
 - Bits available from 6.5mm to 35mm in diameter.



Concrete Floor Grinder (Turazzo)

These will smooth off slabs with rain damage. Any more grinding will remove high spots in concrete. We have stones for sale when you hire a concrete floor grinder from us.

A concrete floor grinder creates lots of dust and a vacuum may be fitted. An extraction fan is also recommended if this unit will be used indoors.

- Disposable stones provide the abrasion.
- Also available with diamond wedges & Glue removal wedges.
- Electric powered.
- Max 10 m extension lead.



Handheld diamond grinder

A single head hand held grinder with a 225mm diamond head. Perfect for those small jobs where are larger walk behind machines just wont get to.

Concrete grinders create dust so we recommend a vacuum for safety and ease of clean up on all indoor grinding jobs, you may also require an extraction fan for indoor use.

- Fast spinning direct drive diamond head for quick grinder results.
- 225 mm diameter diamond head.
- Fit a vacuum for dust removal indoors.





Takeuchi 0.8 tonne Excavator

Hire a 0.8 Tonne Takeuchi excavator for all landscaping, plumbing and demolition work where tight access excavation is required.

- Model Takeuchi TB008
- Excavator weight 800 kg
- Max digging depth 1700mm
- Machine Height 2m
- Supplied With 3 digging buckets.
- Bucket Size 300mm,450mm and 690mm mud bucket
- Narrow with tracks in this unit is only 690mm wide.



Hitachi 1.7 tonne Excavator

Hire a 1.7 tonne mini excavator for all landscaping, plumbing and demolition work.

- Hire rate includes a trailer.
- Excavator weight 1600kg
- Max digging depth 2130mm
- Max reach 3610mm
- Machine Height 2190mm
- Supplied With 2 digging buckets. + mud bucket.
- Choose from: 300mm,450mm dig buckets & 900mm mud bucket

JCB 3.5 tonne Excavator - 8035

3.5 tonne rubber track excavator for improved productivity. Like any excavator you hire from us, they're low hour and delivered on time.

- Excavator weight 3000 kg
- Max digging depth 2.81m
- Rubber Tracks
- 300mm and 450mm digging buckets & 1.1m mud bucket provided in hire rate
- Quick Hitch for quick bucket changes



JCB 8.5 tonne Excavator – Z85

8.5 tonne rubber track excavator for improved productivity. Like any excavator you hire from us, they're low hour and delivered on time.

- Excavator weight 3000 kg
- Max digging depth 2.81m
- Rubber Tracks
- 300mm and 450mm digging buckets & 1.1m mud bucket provided in hire rate
- Quick Hitch for quick bucket changes







Kanga Kid Mini Post Hole Digger

Easy Post holes up to 250mm



Kanga Kid Mini Loader

Think of it as a small dingo mini loader - which we also hire. It does a pretty good job for its size. If you don't have narrow access we'd suggest a dingo mini loader (see next page).

- 800mm wide
- 4 in 1 bucket

Kanga Mini Loader Hire

Hire a low hour dingo or kanga mini loader for reliability and versatility.

- 4 in 1 bucket our dingo hire includes one of these. That's one you can open and shut for easy grabbing and spreading.
- Foam filled tyres so you can't get a puncture.



Kanga Post Hole Digger

Easy post holes with the dingo when you hire a post hole digger attachment.

- Auger size from 250mm to 500mm
- All our dingo hire includes foam filled tyres so you can't get a puncture.



Kanga Mini Loader Trencher

Trench size: up to 800mm deep by 150mm wide. Does this mean I can put a 150mm (6") pipe in the trench?

NO, 150mm pipe has an inside bore of 150mm – it will be wider. The same for agi-pipes. The trench will be 150mm wide.

Will the trench be deep enough for an electricity cable?

Electricity requires 500mm above the power cable – so a 600mm deep trench is best. This machine will handle a trench this deep safely.



Mini Bobcat Toyota Husky SDK4

Hire this mini skid steer for all spreading soil, digging and cleaning up rubbish jobs. Hire a bobcat and you'll will do it all with ease.

- 1.3 tonne bobcat
- 23.5 Horsepower—Diesel
- 4 in 1 bucket for grabbing and soil spreading and driveway
- preparation.
 - Bucket has teeth for breaking up harder soil.
 Smudgers available



Skid steer loader Full Size Bobcat

Hire a skid steer from Pacific Hire and it'll be low hour and well maintained produced by Clark Equipment & Bobcat.

- 4 in 1 bucket with teeth for soil spreading, picking up rubbish and soil removal.
- lifting capacity: 635kg
- horsepower: 51hp
- Weight: 2.5 tonne



Extraction Fan Hire

Hire an extraction fan to remove fumes while using an excavator, bobcat, dingo or anything else with a petrol or diesel engine while inside.

The ducting moves the fumes outside. Or the fan can be used the other way - to pump fresh air into an area.

The ducting is heavy duty disposable plastic, it can come in a roll up to 100m.

Man Cooler Fan Hire

Move lots of air to keep you cool if it's hot or to supply fresh air to an area where fumes from welding or engines may be used.

Carpet Dryer Hire

A light weight carpet blower dryer to pump lots of air under wet carpet. Make sure the carpet doesn't flap or it will fray.

*Weight 15kg *Diameter 300mm



Space Heater Hire + Gas Bottle Hire

Hire a blower heater to heat a large area such as shed or even a marquee. As they're gas powered and pump out a lot of heat they need a supply of fresh air to stop you falling asleep - but that's no different from the gas heater in your home.

Will run on your own 9kg gas bottle — if you don't have one spare we can supply one for a reasonable cost.







Silenced Petrol 2kva Generator

Hire a small quiet generator from Pacific Hire for all those times you need quiet portable power.

- Light Weight 21 kg
- Noise level 52dB about the same as the typical business office
- Max Watts 1950
- Fuel tank up to 6 hours.

Inverter technology makes this generator ideal for sensitive electronics - TV, computers, lights etc.

Petrol 5kva Generator

- 8hp easy start Honda motor
- Wheel kit for easyish wheeling
- Max watts 4000
- Noise Level 74db
- Fuel Tank 7 hours (11 litres)
- Dimensions 711mm x 508mm x 508mm





Petrol 8.5kva Generator

- 16hp easy start motor
- Wheel kit for easyish wheeling
- Fuel charged as used.
- Max watts 7500
- Noise Level 74db
- Fuel Tank 5.5 hours
- Dimensions 705mm x 530mm x 725mm

Petrol 10kva Generator

- 16hp easy start motor
- Wheel kit for easyish wheeling
- Fuel charged as used.
- Max watts 8700
- Noise Level 74db
- Fuel Tank 8.5 hours



20kva Diesel Generator

A trailer mounted generator for quiet power anywhere. A versatile diesel generator with the ability to weld.

- 15 kva generator 3 phase
- Volts 240/415
- Current 14 amps
- Noise Level 83dB.
- Single phase & 3 phase
- Trailer mounted
- Distribution boxes and 3 phase leads available



Silenced Diesel 10 kva up to 200 kva Generators

Super Silenced Generator Hire from Pacific Hire for use in noise sensitive situations like schools, hospitals, parties and events and residential areas.

- 10-200 kva generator
- Single phase & 3 phase
- Current 32 amps
- Noise Level 62dB @7m
- Skid set Generator
- Weight: 994kg



Turf Cutter Hire

Hire a turf cutter to remove old lawn before laying new turf. Rotary hoe hire will help get the best results. Or lifting good turf for re-laying.

- Easy start Honda motor
- Simple one lever operation
- Cuts 300mm wide
- Self propelled for easy walk behind cutting
- Adjustable cutting down to 7cm any deeper and the turf is too heavy to move
- Forward speed of 40 metres per minute
- Harvest up to 960 square metres per hour



Rotary Hoe

The best walk behind rotary hoe available for hire. Hire our hydraulic rotary hoe for all sized jobs.

- Fully hydraulic rotary hoe so there's no belts or chains to break
- 16 horsepower engine means an easy to start rotary hoe with plenty of power
- Reversible so you don't get stuck in a corner (Not too much fun when you hire a rotary hoe).

Hire our rotary hoe and a lawn roller and levelling rake (it's like a square rake with no prongs) is included so you can finish the job properly.



Log Splitter

Hire the best log splitter available. A commercial firewood log splitter featuring a hydraulic log lifter. The efficient splitting technique makes it the most productive in its class. Hydraulic log lifter will lift logs up to 200kg.

Z Master[®] Commercial 3000 Series

The Z Master[®] Commercial 3000 Series offers the perfect blend of performance, durability and value. Cutting performance. These models feature Toro's exclusive TURBO FORCE[®] cutting decks and 12 cc unitised pump and wheel motor transmissions for professional results and dependability.

Operator Comfort & Control

The thick cushions and padded armrests improve operator productivity by reducing fatigue.

The standard lift assist pedal allows for fast and easy deck height adjustments. Roll Over Protection System (ROPS) is angled rearward and can be temporarily unlocked and folded down in seconds.



Lawn Mower

It's a lawn mower. You hire it. You start it easily, you push it, it cuts the grass, you sit down and congratulate yourself on a job well done.

- Honda Easy Start.
- 450mm cut.
- Includes catcher

Air Blower

Hire an easy start Stihl 2 stroke blower air broom which makes lots and lots of noise and blows stuff away.

Brush Cutter & Whipper Snipper

We hire all sorts of garden equipment including this heavy duty brush cutter for big jobs.

• Available with blade.

Supplied with safety visor and brush cutter cord.



Hedge Trimmer Hire a Stihl easy start long reach hedge trimmer for all those jobs where a hedge trimmer with some reach is required.

Chainsaw

Hire a chainsaw for all heavy duty tree trimming and removal. And if you need a sleeper saw these will do the job too - just tell us in advance and we'll fit an old chain and give you a few extras to take care of the filings.

- New chain EVERY HIRE so they're guaranteed sharp.
- Bar length 450mm

Safety chaps, visor and ear plugs provided.









Lawn Rakes

Great for levelling out the dirt before laying grass & turf (or the kids sandpit)

Water Filled Lawn rollers

Great for rolling out after turf & grass installation.

Garden Tiller

"All Hydraulic" front tyne tiller, This has a cutting width of 22" (560mm), and can dig to a depth of 6" (150mm).

Forklifts Gas/Petrol

Industry firsts in technology and engineering make Toyota's 8-Series forklift the most advanced forklift in the industry.

Safety

Toyota SAS monitors key forklift operations, detecting and counteracting instability to help reduce the risk of tip-overs

* When it senses instability, the Active Control Rear Stabiliser locks the rear axle to help reduce lateral tip-overs

If the operator is not seated at the controls the seat switch will turn "off", and the OPS system will disable the ability to lower the forks, or tilt forward or back along with all the other loading and unloading movements.









Various Telehandlers





Acrow Props

Acrow Props are adjustable and perfect for supporting walls and ceilings while renovating and building.

- Size 0 : 1050mm 1830mm
- Size 1 : 1600mm 2800mm
- Size 2 : 1900mm 3400mm
- Size 3 : 2170mm 3975mm
- Size 4 : 3100mm 4900mm

Pallet Trolley

Lifts up to 2.5tonne for easy shifting of standard pallets on hard surfaces.



Machinery Load Skates

Load Skates are low profile load movers, designed to facilitate the moving and positioning of a wide range of loads such as heavy equipment, and machinery.

Each Skate can carry 5tonne.

Genie Duct Lift

Lift heavy things really high with a genie duct lift. Perfect for air conditioners, ducting or put one at each end of a beam. Max load 295kg so it can't be too big a beam.

- Max Load: 295kg
- Max height: 5.94m forks up
- 5.4m forks do
- Width: 800mm

Plaster Lifter

Hire a plaster lifter to lift plaster sheets really high - without doing yourself an injury.

- Lifts full size plaster sheets (5m x 1.2m)
- Max lift 3.1m.
- Tilts for walls or pitched ceilings.
- Holds the plaster sheet in place for easy fixing.



Post Hole Digger - 1 person



Hire a 1 person **post hole digger** with variable augers up to 350mm.

- Easy to start Honda motor
- Hydraulic power
- Cantilevered weights for easy digging

Post Hole Digger - Kanga Kid mini dingo



A mini digger with variable augers **post hole digger** is designed for jobs where multiple number of holes are being drilled but a heavy duty **dingo post hole digger** is too big - and a one man **post hole digger** is just too much work. Perfect for tree planting or post holes for fences up to 350mm. Bucket included in hire rate.



Dingo Post Hole Digger

Easy post hole digger with a dingo mini loader when you hire a post hole digger attachment.

Available with a large range of augers for all jobs from tree planting to fencing.

- Auger size from 250mm to 600mm
- Hire a dingo from Pacific Hire and we can supply buckets, rippers and spreader bars.

DAILY WEEKLY MONTHLY rates available on all our machines......

Excavator Post hole digger

Easy post hole digging with a Pacific Hire Excavator—attachments available for our 3.5tonne or 8.5tonne machines.

Auger sizes: 150mm - 600mm

DAILY WEEKLY MONTHLY rates available on all our machines......



Sewer Snake - Electric

The perfect applications where your pipes or drains are blocked electricity is available & you need to get it unblocked.

- Length up to 16m.
- Manually feed
- Tool kit provided

Pump: 25mm Electric Simer Pump

The perfect Pump for all applications where the water isn't full of mud & you need to get shallow water out.

- Pump up to 120 litres per minute.
- Maximum Head 9m
- No priming just lower pump in the water

Pump: 50mm Electric Submersible Pump

The perfect Pump for all applications where the water isn't full of mud.

- Pump up to 200 litres per minute.
- Maximum Head 12m
- No priming just lower pump in the water

Pump: 50mm petrol flexi drive

Water Pump Hire requires selection of the correct pump. This is an easy to use pump requiring no priming and gives quick water removal.

- Hose size 50mm
- Max head 15m
- Pump up to 1000 litres per minute
- Easy to start Honda motor.
- No pump priming, just lower it in the water.



Pump: 75mm petrol power Trash pump

Hire this high volume pump when access is an issue. The hire of a larger volume pump may get the job done quicker but that's not much help if you can't get the pump to the water.

- Max flow 2500 litres per min
- Max Head 32 metres
- Max solids 50mm
- Petrol motor







Chainsaw

Hire a chainsaw for all heavy duty tree trimming and removal. And if you need a sleeper saw these will do the job too - just tell us in advance and we'll fit an old chain and give you a few extras to take care of the filings.

- New Stihl chain EVERY HIRE so they're guaranteed sharp.
- Bar length 350mm



STINI

225mm Grinders:

Available with disposable or diamond cutting blades. For those smaller cutting jobs hire a portable electric 225mm grinder, we

have disposable blades for masonry or steel cutting and diamond blades to save you time changing blades for longer jobs.



Demolition Saw TS500i 350mm

Our New TS500i 14inch Demolition Concrete cutting saws are fuel injected, so starting and engine response is better than the older type saws. These Saws have the option of Diamond Blades or Steel cut off blades. The cutting Depth for these saws is around 110mm. Blade size is 350mm.



Demolition Saw TS800 406mm

Our New TS800 16" Demolition Concrete cutting saws. These Saws have the option of Diamond Blades or Steel cut off blades.

The cutting Depth for these saws is around 150mm. Blade size is 406mm. This unit also has a trolley available.



Concrete Saw - 406mm

Easy cutting of concrete kerb and channel, driveways and other jobs where the hire of a hand held concrete saw won't do.

- Diamond Blades available extra wear chargeable
- Cuts 150mm deep

Brick & Paver saw

- 240v electric brick saw for wet cutting concrete or clay bricks and pavers.
- 350mm size Blade
- Easy to use with safety pedal.



Compressed Sheet Saw

The TS 55 Plunge Cut Saw has redefined the standard. Lighter weight, easier operation and precise accuracy makes your daily work quicker, easier and more enjoyable. MMC electronics provide soft start-up and constant speed under load, while the slip clutch minimises risk of kickback and wear on the blade, gear case and motor. The saw sits easily on a guide rail for perfect straight guidance and exact cuts, even on an angle. The attachable splinterguard ensures cuts are completely splinter free on both sides.

Steel Cut off Drop Saw

The steel cut off saw offers great versatility by cutting a wide variety of materials including ferrous and non-ferrous metals.

Powerful 2,400W motor provides more overload capacity to increase performance and durability

Patented tool-free 45^o adjustable fence allows for fast and accurate angle cuts without the hassle of using a wrench

Soft start motor provides less start-up impact on gears

Extra wide solid steel base provides increased stability when cutting longer material

Quick-lock vice allows for fast clamping on different size materials to increase productivity



Tile saw

- 240v electric brick saw for wet cutting concrete or clay tiles.
- 300mm size Blade
- Easy to use with safety pedal.



www.pacifichire.com.au

35



Water filled barriers & Bollards

Call Pacific Hire for all your site and safety needs...



Road Signs Hire

Road Signs and Stands. Large Variety available.

Light Tower Hire



Light up, well pretty much anything when you hire a light tower. Quarries, road works or car parks and fetes. We make the hire of a light tower easy.

- Fully hydraulic mast means no dangerous cables and very easy to erect
- Three light heads to light up over 1.5 hectares (6 acres)
- 72 hour fuel tank makes it ideal for construction, sporting events or anywhere you need reliable lighting.
- Adjustable light heads from the ground for best lighting results
- Diesel charged as used



Message Board Hire

Message Board Hire from Pacific Hire features the service and quality you come to expect from us.

- Remote messages changes available.
- Solar Powered with battery back up for reliability and safety. Ideal VMS Boards for Road Safety and advertising.
- Permits maybe required for use of a VMS board for advertising from many councils

Walk Behind Trencher

Hire this fully hydraulic and self propelled **mini trencher** to make light work of all jobs requiring the hire of a smaller trencher. The Perfect trencher for sprinkler systems or water pipes which don't need the depth required like electricity. This unit is called a Groundhog

- Trench size: up to 450mm deep by 90mm wide.
- Designed for softer soils only. If the ground's rock hard use the dingo trencher.

Dingo Hire Kanga Mini Loader Trencher

- Trench size: up to 900mm deep by 150mm wide.
- Ideal for a water, phone or electricity trench.
- Electricity requires a 600mm deep trench. This machine will handle a trench this deep safely.

Bucket included in the hire rate so you can trench and backfill.

This unit comes with a trailer



Excavators—0.8 tonne, 1.5 tonne, 1.8 tonne, 8.5 tonne

(for details see earthmoving section page 20 and 21)



6 x 4 Garden Trailer hire

- 6' x 4' (1.8m x 1.2m)
- Single axle
- LED lights
- Can carry 750kgs max
- Great for moving house
- Great for the odd tip run



Caged Trailer hire

- 8' x 5' (2.4m x 1.7m)
- Single axle
- LED lights
- Can carry 750kgs max
- Great for moving house
- Great for the odd tip run
- Great for camping trips




Furniture Trailer hire

- 12' x 6' (3.0m x 1.8m)
- Double axle
- LED lights
- Can carry 1000kgs max
- Great for moving house
- Great for camping



Car Trailer hire

14' x 6' (4.2m x 1.8m) Dual axle LED lights Ramps Can carry 1000kgs max



Customer Built Commentary Boxes

- Size per requirement
- Air conditioned
- Scaffold Bases made to suit
- Great for sporting events



First Aid & Lunch Rooms

- 6m x 3m
- 3m x 2.4m
- Security Mesh on windows
- Fridge & Microwave
- Tables & Chairs
- Air-conditioned



Site Offices

- 12m x 3m
- 6m x 3m
- Air Conditioned
- Security Mesh on Windows
- Tables, Chairs & Desks



Portable Toilet, Disabled Toilet & Shower hire

- Trailer Mounter
- Skid Mounted
- 4 Pan Toilet Blocks



Pacific Hire - Conditions of Hire

1. DEFINITIONS

- 'Owner" means Pacific Hire Pty. Itd. T/A Pacific Hire 'Hire* means the person. firm or corporation hiring Plant from the owner being the person, firm or corporation named over leaf as the Hirer and includes the officers, employees, servants,
- agents or contractors of the Hirer. 'Plant' means the equipment specified over leaf as the Plant 1.3

Includes, without limiting the generality of the foregoing, all

Includes, which imming the generality of the origonity, and tools, accessories and spare parts supplied therewith which the Owner agrees to hire to the Hirer. Subject to clause 1.2 hereof, the hiring is personal to the Hirer and the rights of the Hirer are not assignable to any person, firm 1.4 or corporation whatsoever.

2. PERIOD OF HIRE

- The minimum period of hire shall be one (1) day and shall apply where Plant is taken on hire between the hours of 7:30am and 5:15 PM or any part thereof any one day. The period of hire shall commence:
- 2.2
 - from the time the Plant Is collected by the Hirer from the Owner's premises and shall expire at the time of return of
 - the Plant to the Owner's premises and the request of the Hire to deliver or collect the Plant, from the time the Plant leaves the Owner's premises and shall expire at the time when the Hirer notifies the Owner that the plant is available for collection provided that the Hirer has given the Owner sufficient notice to enable the collection and return of the Plant to the Owner's premises before 8:30am on the day following the last day of hire.
- 2.3 the Hirer fails to

 - (i) return the Plant to the Owner's premises; or QQ give the Owner sufficient notice to enable collection and return of the Plant to the Owner's premises before 8:30am on the day following the last day of hire, and then the Hirer and the owner for each owner of the owner of the owner. shall incur an extra charge for each day or part of thereof until the Plant Is returned.
- In this clause, sufficient notice: means notice given to the Owner by the Hirer In writing, by telephone or personal between: 2.4
 - 8 am and 4 pm on weekdays; 8 am and 11 am on Saturdays; and
 - 7:30am and 8:30am on Sundays.
- Notwithstanding any other condition herein, and without Prejudice to any other remedies the Owner may have against the Hirer, the Owner may terminate this agreement:
 - (i) •at any time provided the Owner give the Hirer two (2) days written notice
 - QQ Where the Hirer makes default in the observance or
 - Our where the marks behavior in the observation of performance of any of these Conditions, without notice; QiQ where the Hirer Is subject to any winding up petition or order, appointment or receiver, official management, assignmen arrangement or compromise for the benefit of creditors, an nt, assignment
 - act of bankruptcy, any action taken of threatened to be taken to the place the Hirer in bankruptcy, a judgment
 - which is unsatisfied or part unsatisfied, a sequestration order, a writ or execution or where the Hirer ceases or any on business, without notice;
 - [rv) where the Hirer fails to pay his account within seven (7) days of the date of an Invoice or where the Hirer's payment

by cheque is not honored, with o ut notice. Upon termination of this agreement, the Owner shall be entitled to take possession of the Plant without notice for which purpose the Hirer hereby authorizes the Owner, its servants and agents to enter upon any land or premises of the Hirer or under the control of or in the occupation of the Hirer upon which the Plant is situated at the time of the termination to search such premises and to remove the Plant therefrom.

3. RATES OF HIRE

The Hirer shall pay hire charges for the period of hire at the rate 3.1 specified over leaf. 32

The hire rates specified over leaf are based on the Hirer using the plant for not more than eight (B) hours in a day or more than forty eight (48) hours each week or continuous seven (7) day period

Where the Hirer uses the Plant for more than eight (B) in any day or more than forty eight (48) hours in a week, the Hirer will be liable *In* addition to the daily charge) to pay the Owner for the excess on a prorate hourly or daily basis at the discretions of the Owner

- Where the Hirer uses the Plant on a Sunday or public holiday, 3.3 3.4
- The owner reserves the right at any time and without notice to revise the hire rate charges specified over leaf. All government charges, rate and duties including stamp duty 3.5
- on hiring arrangements shall be charged as an extra. The damage Waiver shall be charged as an extra. 3.6

4. BREAKDOWNS

- In the event of breakdown or failure of the plant, the Hirer; 4.1 (i) Shall notify the Owner as soon as practicable; and QQ Shall not have any repairs affected to the Plant by any
- person other than an employee of the Owner or a person nominated by the Owner. Where the Hirer notifies the Owner In writing within twelve (12)
- 42 hours of a breakdown occurring that renders the Plant unusable hire charges calculate on an hourly y basis shall not be payable during such time as the plant is unusable, provided that the unusable condition of the Plant is, in the opinion of the Owner, caused by fair wear and tear and not attributable whole or partly

to the Hirer's negligence, misuse or breach of contract and the Owner will at his own expense restore the plant to working order as soon as reasonable possible The Owner shall not be liable to the Hirer on grounds of breach

of contract or negligence or otherwise whatsoever for any loss or Damage suffered by the Hirer arising from defects. Breakdown or failure of the Plant and the hirer hereby releases the Owner 4.3 from all claims and demands in respect thereof.

5. OPERATOR

- 5.1 The owner may supply, at the request of the Hirer, an operator to work on the Plant who shall be under the direction and control of the Hirer and shall for those purposes to deemed to be the servant or agent of the Hirer who alone shall be responsible for all claims whatsoever arising In connections with the operation of the Plant by the operator of any third party.
- Where the Owner supplies an Operator, the Hirer shall not allow any other person to operate the Plant without the Owner's prior 5.2 ritten cons
- 5.3 Unless the Owner supplies an operator to work the Plant, the Hirer shall employ someone to operate the Plant and pay that person's wages

6. HIRER 'S OBLIGATIONS

- The Hirer shall pay all hire charges and, where applicable, all 6.1 delivery charges, collection charges and extras on a strictly net cash basis unless otherwise specified.
- The Hirer shall use the Plant in a skillful and proper manner and on for the purposes and within the capacity for which the 6.2 Plant
- was designed and shall comp at his own expense with all notices, directions and legal requirements of all government authorities. Acts of Parliament and regulations in any way relating to the Plant.
- The Hirer shall ensure that any persons using Plant shall comply with all relevant statures. Regulations and maintenance of the
- The Hirer shall at his own expense supply all fuel, oil and grease necessary for the operation, service and maintenance of the 64 Plant.
- The Hirer shall at his own expense service and clean the Plant in a skillful and proper manner and maintain the Plant in a clean 6.5 condition and in good and substantial working order and repair reasonable wear and tear expected.
- If upon return of the Plant to the owner the Plant is not in clean condition and/or not in good and substantial wor1<1ng order and 6.6 repair, reasonable wear and tear expected, the Hirer shall pay to the Owner all costs and expenses of restoring the Plant to clean condition and good and substantial working order and repair. The hirer shall accept full responsibility and liability for the
- 6.7 safekeeping of the Plant and shall indemnity or compensate the Owner to the extent of the new replacement value for all loss or damage to the Plant or parts thereof howsoever caused from the time of commencement of the hire or delivery whichever is earlier until the Plant is returned to the Owner's premises or collected by the owner and without limiting the generality of the fore going whether or not such loss or damage is attributable to any abandonment of any Plant. Negligence, failure or omission of the Hirer. The Owner's rights under this clause shall not be prejudiced by or prejudice and other right under these Conditions.
- The hirer shall not in any way part with possession of the whole or part of the Plant nor remove the Plant from the job site 6.8 specified overleaf without the written consent of the Owner except for the purpose of returning the Plant to the owner's premises or sell, assign, mortgage, pledge, sub-lease, lend or otherwise deal with the whole or part of the Plant.
- The Hirer shall not remove or cover up any plates or other marl<s that the Owner may affix of cause to be affixed to the plant to 6.9
- Indicate that the Plant is the property of the Owner. 6.10 The Hirer shall give the Owner access to the Plant for inspection at any reasonable time without prior notice.

7. DELIVERY, COLLECTION AND RETURN

- Where the Hirer requests the Owner to deliver the Plant or to transport the Plant to or from the Owner's premises (i) the Hirer shall pay the Owner all charges and expenses
 - Incurred in so delivering, transporting, Installing or collecting the Plant In addition to the hire charges;
 - QQ the Plant shall be at the hirer's risk from the time the Plant leaves the Owner's premises until returned to the Owner's premises, and;
 - QIQ the Owner will use its best endeavors to make delivery by the specified time but In any event the owner shall not be liable to the hirer for the late delivery, non-delivery or any loss or damage occasioned to the Hirer as a result thereof. Notwithstanding anything contained In these Conditions, the
- onus shall be on the Hirer to ensure that the Plant Is returned to the Owner's premises or collected by the Owner. Where the Plant is not returned at the expiry of the period of hire, it will be treated as stolen property unless otherwise notified and legal action may be taken by the Owner to recover stolen property

8. EXCLUSION AND INDEMNITY

The Hirer shall indemnify, keep indemnified and hold the Owner its servants and agents, harmless against any union actions, claims, suits or demands and shall have no claim whatsoever against the Owner resulting from such union actions, claims, suits, demands or ce or protest that affects the Plant or property on which the Plant may from time to time be situated

- The Hirer shall indemnify, keep indemnified and hold the Owner its servants and agents, harmless against any union actio claims, suits, demands, costs and expenses of every descripti whatsoever including all legal costs and expenses) and howsoever arising either directly or indirectly out of the use, maintenance, transport or operation of the Plant by the Hirer otherwise during the period of hire whether caused by negligence of the Owner his servants or agents or by negligence of any other person whatsoever or arising out of the condition of the plant or the use to which it is put or otherwise whatsoever.
- The Owner shall not be liable to the Hirer for any damages, suit, actions, claims and demands of every description whatsoever and howsoever arising either directly or indirectly from representations, warranties, terms and conditions express or implied (except in so far as statutory conditions and warranties cannot be excluded under Part V Division 2A of the Trade Practices Act (1974) or relevant Part v Division 2A or the Trade Practices Act (19/4) or relevant State legislation), use, maintenance, transport, operation of the Plant or otherwise and weather result ing from the negligence of the Owner, its servants or agents or otherwise. Clauses 8.2 and 8.3 hereof, to the extent they are inconsistent
- 8.4 with other clauses of these conditions, shall override these clauses and be of paramount force.
- 8.5 To the extent that the Commonwealth and state laws permit, all conditions, terms and warranties not expressly contained herein are hereby excluded.

9. INSPECTION AND WARRANTY

- The Hirer acknowledges that he has inspected the Plant and is satisfied that the Plant is in clean condition and in good and 9.1
- substantial wolldng order, repair and condition. The Hirer acknowledges that he is aware of the proper use for 9.2 which the plant is designed and that the Hirer is competent to use the Plant.
- 9.3 The Hirer acknowledges that information as to any danger associated with the Plant, specifications of the Plant and the conditions necessary to ensure that person's properties using the Plant are not exposed to hazards, has been provided to the Hirer.
- Notwithstanding anything herein contained, the Hirer express acknowledges that no warranty or condition express or Implied is 9.4 given by the Owner as to the description, quality or condition of the Plant or as to the suitability or fitness of the Plant for any purpose except Insofar as any such condition Is implied by Commonwealth or State legislation.

10. DAMAGE WAIVER

Upon payment of the Damage Waiver (as shown on the Hire Docket. the hire with be Indemnified for load or damage to the hire plant In accordance with the owners Insurance policy. The hirer will always be responsible for any excess payable on the Insurance. This excess is calculated at 12.0% of the Market Value of the plant subject to a minimum excess of \$5000.

The Hirer will remain responsible for the cost of rectifying any loss or damage to the plant which is not covered by the owners Insurance policy, including but not limited to the loss and/or damage caused by or in connection with:

- Contraventions of these conditions of hire
- QQ Lack of, or faulty lubrication or general servicing of the Plant (when has been agreed to be the responsibility of the Hirer) QiQ Over loading or incorrect loading of the Plant (other than
- accidental overloading). [rv) Electrical or mechanical breakdown or failure caused by the Hirer. (v) Cuts, bursts or punctures to tyres or tubes. Damage to plant paintwork.
- (VI) Use of the Plant In contravention of any Government Regulations or other regulations relating to the use of the Plant.

11.LOSS OR DAMAGE TO THE PLANT

The Hirer will at all times be responsible for the loss of/or damage to the Plant during the period of hire except where the Damage Waiver (as detailed above) has been paid.

Unless the Hirer otherwise elects in writing, a premium of 12% of the gross hire charge shall be charged as a Damage Walver whereupon the Owner agrees to walve its rights to claim for loss or damage to the Plant caused by hire. Storm, collision. Accident, on condition that: (i) Where the Hirer gives the requisite written notice of its election to

- forgo damage waiver after the commencement of the period hire, the premium charged for the period prior to such notice shall remain payable by the Hirer. The hirer shall make a prompt verbal report followed within 24
- Qij hours of the damage or loss by a detailed written report for damage or loss.

QiQ Where there is a credit card given, the hirer as signed overleaf agrees to pay the owner of the equipment for damages on this contract or any invoice to be part of this hire contract at any time without due notice to the hirer.

11. SEVERANCE

In the event of any part of these conditions of hire becoming void or unenforceable whether due to the provisions of any statute or otherwise then part shall be severed from these Conditions to the Intent that all part that shall not become void or unenforceable shall remain In full force and effect and be unaffected by any such severance

12. ENUREMENT OF CERTAIN OBLIGATIONS

The expiration of determination of the period of hire howsoever arising shall not affect such provisions of these Conditions as are express or implied to operate or have effect thereafter and shall be without prejudice to any right or action already accorded to either the Owner or the Hirer in respect of any breach of these Conditions by the other

Decifichire ABOUT US

Established in 1979, Pacific Hire is a traditional Equipment Hire company founded in Myrtleford by Roland Carlassare who grew sick and tired of mates asking to lend his tools. Company owners/Directors Raimond & Deanne were born and bred to be in the Hire industry and were surely the envy of their mates because they had all the diggers a kid could want to play with, and with age that still hasn't changed. "There isn't a piece of equipment here that we've not used. "As soon as we get something new in, we all have to take it home and give it a go. It sounds sad, but we just love it!"

With our roots strongly secured in the Northern Regions of Victoria & Southern Regions of N.S.W with offices based in Myrtleford, Wangaratta, and Melbourne, we are sure to get you the right equipment for your project, no matter where your job is based, what size your project is, or how complex it may be.

Our attention to detail along with the latest plant & equipment on the market, coupled with decades of combined staff knowledge of the Hire industry and a strong focus on safety and the environment, will ensure the highest quality result for our clients.

Pacific Hire's strength lies within it's staff & their clients. We are dedicated to teamwork and delivering excellence to our clients; This has meant building and keeping trusted relationships for over 40 years.

Pacific Hire boasts a strong equipment rental hire fleet, with new items added weekly, ranging from small home handyman equipment, mini loaders, excavators, compaction equipment, generators to site amenities, telehandlers, scaffold, traffic management, access equipment, from the start of your job to the end, we will have everything you require to get the job done. Our exquisite hire rental fleet provides an exceptional service, customized to suit our client's needs and specific projects, no matter what size the project is.



FOR ALL OUR DETAILS SEE OUR WEBSITE AT <u>www.pacifichire.com.au</u> OR CALL INTO YOUR LOCAL BRANCH TODAY...OR





This Catalogue was produced by the staff in our branches, your feedback is appreciated. Hope to see you out onsite or in store soon. © Pacific Hire 2017

www.facebook.com/pacifichire