

- Jet Hand Dryer



Web: www.ozwashroom.com.au E-mail: info@ozwashroom.com.au

Tel: 1300 652 715 Fax: 1300 693 400



JetOz The **ne**w name in Jet Hand Dryer Technology



Web: www.ozwashroom.com.au E-mail: info@ozwashroom.com.au

Tel: 1300 652715 Fax: 1300 693 400

JetOz - The New Name in Jet Hand Dryers Technology



Features:

Seconds Drying time **5~7**

Wind speed 342kph

Infrared sensors: non-contact drying, clean & sanitary

One sensor located at the bottom of the open mouth which fully detects inserted hands and initiates the airflow. Another sensor located at the top of the open mouth can sense when hands withdraw, automatically stopping the airflow. Hands don't touch any part of the unit.



Start detection sensor is installed at the bottom of the dryer.

Brushless DC motor: 7 year * 1000 times / day long life

Equipped with a DC brushless motor, no more problems with wear and tear on motor brushes, paves the way for truly efficient power and stable operation for the long term



Web: www.ozwashroom.com.au E-mail: info@ozwashroom.com.au

Tel: 1300 652 715 Fax: 1300 693 400



Airflow at max.: 342kph

Streamlined nozzle design increase air flow, high speed of air injection from double sides rated up to 95m/sec, which drys your hands in $5\sim7$ seconds.

Heating: switch on or off for choice

It's optional for heating ON or OFF by the switch button, which is located on the side of this unit, Also the two speed modes for energy saving feature.

Hot air temp.: 35 °C ~ 40 °C



Others

Drain tank: water collection for prevention of splashing on floor



Filter



Drain trank

> Air filter: Filter the

air dust

Web: www.ozwashroom.com.au

Tel: 1300 652 715

E-mail: <u>info@ozwashroom.c</u>om.au

Fax: 1300 693 400

4

Jetoz - the New name in Jet Hand dryers Technology



- Body material: Nonflammable antibacterial ABS
- Mischief protection: Automatically stop working after 25sec
- Safety protects: Overheating, over current, short circuit protection
- > Ergonomic design: 15° Front inspection angle
- Protection class: IP X 4
- Noise Level: 76 dB
- Input power: 1650W
- Slim design: 300(W) * 220(D) * 687mm(H)
- Colors: white or silver



No electrician required plugs into standard powerpoint.

Australian Standard Compliance:

IEC 60335.2.23:2003 +A1 +A2 based on AS/NZS 60335.2.23:2004 +A1

IEC 60335.1:2001 +A1 +A2 based on AS/NZS 60335.1:2002 +A1 +A2 +A3 +A4

Web: www.ozwashroom.com.au E-mail: info@ozwashroom.com.au

Tel: 1300 652 715 Fax: 1300 693 400


5

JetOz Powerful, Environmentaly Freindly Green Choice, Easy Install, Long Life Span

Specification:

Rated voltage	AC220~240V	Motor type	Brushless motor
Input power	1650W	Protection time	IPx4
Wind velocity	342kph	Induction method	IR Blocking
Heating power	900W	Motor power	750W
Dimensions	330x220x687mm	Net weight	11kg

Installation:



Please note: Read the installation manual thoroughly before beginning installation ensure the unit installed safely and correctly.

Web: www.ozwashroom.com.au E-mail: info@ozwashroom.com.au

Tel: 1300 652 715 Fax: 1300 693 400